

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
01/03/2018	93.5241	0.002	0.1214	0.13482	0.01358	0.25622	5.1576	271.418	3.02351707	40.3982834	51.8307277	-0.01934453	0.16027959	0
01/03/2018	93.4107		0.1162	0.1484	0	0.2646	5.1313			40.3421933	51.8113832	0.02190271		
01/03/2018	94.1872		0.1183	0.1484	-0.007	0.2667	5.1173			40.3247832	51.8332859	-0.03730606		
01/03/2018	93.193		0.1164	0.1414	0.0199	0.2578	5.1172			40.3063015	51.7959798	0.0080146		
01/03/2018	93.4258		0.1143	0.1613	0.0082	0.2756	5.1253			40.3223384	51.8039944	-0.00060167		
01/03/2018	93.4035		0.1151	0.1695	-0.0067	0.2846	5.1163			40.3130624	51.8033927	-0.01584802		
01/03/2018	93.4743		0.1132	0.1628	0.002	0.276	5.0848			40.2749798	51.7875447	-0.02078018		
01/03/2018	93.4612		0.1077	0.1648	-0.0011	0.2725	5.0796			40.2303874	51.7667645	-0.02413336		
01/03/2018	93.5268		0.1043	0.1637	0.0054	0.268	5.0132			40.1808158	51.7426312	-0.01303241		
01/03/2018	93.7329		0.1033	0.1691	-0.0054	0.2724	4.8914			40.1752984	51.7295988	-0.03786146		
01/03/2018	93.9126		0.095	0.1637	-0.0056	0.2587	4.9145			40.0759576	51.6917373	-0.03580382		
01/03/2018	93.7953		0.0911	0.1581	-0.0009	0.2492	4.8166			39.9856187	51.6559335	-0.03347005		
01/03/2018	94.2335		0.0898	0.1572	-0.0008	0.247	4.7169			39.9344227	51.6224634	-0.02373808		
01/03/2018	93.6447		0.0834	0.1564	-0.0023	0.2398	4.6463			39.8824056	51.5987254	-0.0011947		
01/03/2018	94.2181		0.0791	0.1541	0.0027	0.2332	4.6491			39.8746192	51.5975307	0.01263288		
01/03/2018	94.3238		0.0861	0.1568	-0.0007	0.2429	4.6679			39.9018637	51.6101635	0.01015381		
01/03/2018	94.2694		0.0817	0.1561	-0.0122	0.2378	4.6818			39.9189896	51.6203174	-0.02904861		
01/03/2018	94.4217		0.0814	0.1439	-0.0198	0.2253	4.6621			39.8430723	51.5912687	-0.01305334		
01/03/2018	93.5115		0.0783	0.1241	0.003	0.2024	4.6711			39.8024212	51.5782154	0.01103273		
01/03/2018	94.3765		0.094	0.1271	-0.0003	0.2211	4.6963			39.8373758	51.5892481	0.00467793		
01/03/2018	94.4143		0.0834	0.1268	-1E-04	0.2102	4.6762			39.8528414	51.5939261	0.00152096		
01/03/2018	94.4187		0.0811	0.1267	-0.0055	0.2078	4.7148			39.8454535	51.595447	0.02613172		
01/03/2018	94.2821		0.0921	0.1212	0.0035	0.2133	4.7832			39.9086102	51.6215788	-0.00679922		
01/03/2018	94.2398		0.0937	0.1247	-0.0035	0.2184	4.7561			39.8163074	51.6147795	-0.03656413		
Mínimo	93.193	0.002	0.0783	0.1212	-0.0198	0.2024	4.6463	271.418	3.02351707	39.8024212	51.5782154	-0.03786146	0.16027959	0
Promedio	93.8917292	0.002	0.09751667	0.14838	-0.0005675	0.24589667	4.8702875	271.418	3.02351707	40.0561834	51.6869432	-0.01052135	0.16027959	0
Máximo	94.4217	0.002	0.1214	0.1695	0.0199	0.2846	5.1576	271.418	3.02351707	40.3982834	51.8332859	0.02613172	0.16027959	0
Desv. Est.	0.41826227	0	0.01460806	0.01604247	0.00793442	0.02479504	0.19875849	0	0	0.21131716	0.0947343	0	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
02/03/2018	94.25818	0	0.0829	0.1413	-0.0096	0.2242	4.7792	271.681	3.32545195	39.8655182	51.6151017	-0.02046626	0.06723536	0
02/03/2018	94.36544		0.0924	0.1317	0.0204	0.2241	4.7758			39.8547279	51.5946355	0.02703681		
02/03/2018	94.14663		0.0923	0.1521	0.0125	0.2444	4.8151			39.9305932	51.6216723	0.04309348		
02/03/2018	94.1274		0.0757	0.1646	-0.0055	0.2403	4.8876			39.9933215	51.6647658	-0.00916445		
02/03/2018	94.2322		0.0741	0.1591	0.0023	0.2332	4.8458			39.9815063	51.6556013	-0.00592694		
02/03/2018	94.1211		0.0811	0.1614	0.0028	0.2425	4.8343			39.9797026	51.6496744	-0.00309		
02/03/2018	94.1224		0.0831	0.1642	-0.003	0.2473	4.8171			39.9643047	51.6465844	-0.01092825		
02/03/2018	94.1581		0.0816	0.1612	0.0017	0.2428	4.8033			39.9512253	51.6356561	0.01354989		
02/03/2018	94.0613		0.0843	0.1629	0.0006	0.2472	4.8661			39.9855326	51.649206	0.00421225		
02/03/2018	94.0586		0.0869	0.1635	0.003	0.2504	4.8679			39.9865166	51.6534182	0.00232223		
02/03/2018	94.0314		0.0854	0.1665	-0.0034	0.2519	4.8928			39.9746646	51.6557405	-0.01612345		
02/03/2018	94.1617		0.0833	0.1631	-0.0007	0.2464	4.7713			39.9587613	51.639617	-0.01396179		
02/03/2018	94.2347		0.0863	0.1624	0.0007	0.2487	4.7011			39.9349294	51.6256552	-0.00361792		
02/03/2018	94.2561		0.0841	0.1631	-0.001	0.2472	4.6857			39.9316331	51.6220373	0.01039418		
02/03/2018	94.2297		0.0809	0.1621	-0.001	0.243	4.7161			39.9472224	51.6324315	-0.00051192		
02/03/2018	94.2267		0.0832	0.1611	-0.0017	0.2443	4.7136			39.9583142	51.6319196	0.00604225		
02/03/2018	94.2311		0.0841	0.1594	-0.0003	0.2435	4.6995			39.9506758	51.6379618	0.03285312		
02/03/2018	94.1413		0.0831	0.1591	-0.0043	0.2422	4.7592			39.9860651	51.6708149	-0.0133525		
02/03/2018	94.1448		0.0829	0.1548	0.0041	0.2377	4.7843			39.9893859	51.6574624	0.01893295		
02/03/2018	94.0629		0.0834	0.1589	0.0033	0.2423	4.8221			40.0271247	51.6763954	0.01076174		
02/03/2018	93.9814		0.0883	0.1622	0.0015	0.2505	4.8575			40.0663565	51.6871571	0.01239593		
02/03/2018	93.9719		0.0851	0.1637	-0.0018	0.2488	4.8423			40.0564738	51.6995531	-0.01862657		
02/03/2018	93.9646		0.0862	0.1619	0.0004	0.2481	4.8548			40.041069	51.6809265	0.00719553		
02/03/2018	93.9632		0.0891	0.1623	-0.0306	0.2514	4.8724			40.0594734	51.688122	-0.09348657		
Mínimo	93.9632	0	0.0741	0.1317	-0.0306	0.2241	4.6857	271.681	3.32545195	39.8547279	51.5946355	-0.09348657	0.06723536	0
Promedio	94.1355354	0	0.08415833	0.159275	-0.0004	0.24343333	4.80270417	271.681	3.32545195	39.9739624	51.6496712	-0.00085276	0.06723536	0
Máximo	94.36544	0	0.0924	0.1665	0.0204	0.2519	4.8928	271.681	3.32545195	40.0663565	51.6995531	0.04309348	0.06723536	0
Desv. Est.	0.10770482	0	0.00417747	0.00778445	0.0086755	0.00740486	0.06390452	0	0	0.05301524	0.02578304	0.02560663	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
03/03/2018	93.9187	0	0.0925	0.1734	-0.0093	0.2659	4.8758	272.725	3.8628403	40.0723464	51.6255566	0.02753278	0	0
03/03/2018	93.914		0.0923	0.1641	-0.0005	0.2564	4.6924			40.0798373	51.6530894	0.00687181		
03/03/2018	93.932		0.0889	0.1636	0.0015	0.2525	4.8753			40.0753946	51.6599612	-0.0306752		
03/03/2018	93.9271		0.0931	0.1651	-0.0003	0.2582	4.8872			40.0708462	51.629286	0.06396754		
03/03/2018	93.8876		0.0928	0.1648	0.0025	0.2576	4.9187			40.0844836	51.6932536	0.059851		
03/03/2018	93.8695		0.0926	0.1673	-0.0004	0.2599	4.9229			40.0629857	51.7531046	-0.04312192		
03/03/2018	93.842		0.0902	0.1669	-0.0011	0.2571	4.9745			40.1262354	51.7099826	-0.00659033		
03/03/2018	93.8589		0.0869	0.1658	0.0007	0.2527	4.9582			40.0914134	51.7033923	0.00177943		
03/03/2018	93.8544		0.091	0.1665	0.0012	0.2575	4.9513			40.0991961	51.7051717	0.00202674		
03/03/2018	93.8518		0.0914	0.1677	-0.0003	0.2591	4.8843			40.1079838	51.7071985	0.00039842		
03/03/2018	93.8513		0.0871	0.1674	-0.0012	0.2545	4.8383			40.0907057	51.7075969	0.01157191		
03/03/2018	93.8179		0.0841	0.1662	0.0009	0.2503	4.6324			40.1088794	51.7191688	0.00859479		
03/03/2018	93.7727		0.0827	0.1671	0.0016	0.2498	5.0645			40.1134238	51.7277636	-0.00826433		
03/03/2018	93.8007		0.0851	0.1687	0.0019	0.2538	5.0041			40.1166249	51.7194993	0.00541016		
03/03/2018	93.7814		0.0912	0.1706	0.0045	0.2618	4.9781			40.1461597	51.7249094	0.01264141		
03/03/2018	93.7191		0.0931	0.1751	-0.0018	0.2682	4.9875			40.165687	51.7375509	-0.00709346		
03/03/2018	93.6291		0.0931	0.1733	-0.0009	0.2664	4.9756			40.1314563	51.7304574	0.00827739		
03/03/2018	93.7368		0.0871	0.1724	0.0019	0.2595	4.9734			40.1959076	51.7387348	0.01331415		
03/03/2018	93.7124		0.0869	0.1743	-0.0001	0.2612	4.9891			40.1856911	51.7520489	-0.0180682		
03/03/2018	93.7342		0.0912	0.1742	0.0002	0.2654	4.8044			40.1569892	51.7339807	-0.00956922		
03/03/2018	93.9344		0.0917	0.1744	0	0.2661	4.7371			40.1373218	51.7244115	-0.00700922		
03/03/2018	93.9179		0.0921	0.1744	0.0012	0.2665	4.7341			40.115728	51.7174023	0.01696383		
03/03/2018	93.8743		0.0947	0.1756	0.0005	0.2703	4.7522			40.1630392	51.7343661	-0.01246525		
03/03/2018	93.9443		0.0939	0.1761	-0.0125	0.27	4.6987			40.1389402	51.7219009	-0.09634426		
Mínimo	93.6291	0	0.0827	0.1636	-0.0125	0.2498	4.6324	272.725	3.8628403	40.0629857	51.6255566	-0.09634426	0	0
Promedio	93.8367708	0	0.0902375	0.16979167	-0.00040833	0.26002917	4.8795875	272.725	3.8628403	40.1182198	51.7095745	0	0	0
Máximo	93.9443	0	0.0947	0.1761	0.0045	0.2703	5.0645	272.725	3.8628403	40.1959076	51.7531046	0.06396754	0	0
Desv. Est.	0.08487677	0	0.00331961	0.00420744	0.00354498	0.00617298	0.11773652	0	0	0.0373428	0.03467816	0.03112694	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
04/03/2018	92.879	0	0.0945	0.1651	-0.0006	0.2596	4.2168	272.298	2.85676916	40.1097996	51.7108365	0.05937783	0.06823457	0
04/03/2018	93.481		0.0977	0.1645	0.0024	0.2622	4.7524			40.1553986	51.7702144	-0.03928055		
04/03/2018	93.723		0.1022	0.1669	-0.0044	0.2691	4.4851			40.1714594	51.7309338	-0.00986737		
04/03/2018	93.744		0.1024	0.1625	0.0008	0.2649	4.8454			40.1795492	51.7210664	0.02517404		
04/03/2018	93.652		0.1048	0.1633	0.0062	0.2681	4.9221			40.1920461	51.7462405	0.00594526		
04/03/2018	93.485		0.1108	0.1695	-0.0023	0.2803	4.9145			40.2236254	51.7521857	-0.00745815		
04/03/2018	93.533		0.1067	0.1672	-0.003	0.2739	4.9644			40.1990098	51.7447276	-0.01182834		
04/03/2018	93.564		0.1012	0.1642	0.002	0.2654	4.9635			40.1924121	51.7328993	-0.01332811		
04/03/2018	93.152		0.1156	0.1662	0.0029	0.2818	5.1478			40.2966364	51.7195712	0.13998748		
04/03/2018	93.147		0.1233	0.1691	-0.0033	0.2924	5.1638			40.4727016	51.8595586	0.06781598		
04/03/2018	92.742		0.1191	0.1658	0.0005	0.2849	5.3148			40.5937999	51.9273746	0.09720191		
04/03/2018	92.342		0.1202	0.1663	0.0005	0.2865	5.3248			40.8053366	52.0245765	0.1611079		
04/03/2018	91.744		0.1186	0.1668	-0.0009	0.2854	5.3287			40.9888174	52.1856844	-0.00353806		
04/03/2018	91.858		0.1162	0.1659	-0.0058	0.2821	5.4358			41.1471399	52.1821464	0.02743988		
04/03/2018	92.123		0.1244	0.1601	0.0082	0.2845	5.2238			41.3286201	52.2095862	0.08787799		
04/03/2018	91.448		0.1331	0.1683	-0.0052	0.3014	5.2142			41.4776708	52.2974642	-0.06778821		
04/03/2018	92.454		0.1499	0.1631	0.0032	0.313	5.1385			41.3024779	52.229676	-0.12155116		
04/03/2018	91.937		0.1219	0.1663	-0.005	0.2882	5.4618			41.0606756	52.1081249	-0.21624132		
04/03/2018	92.911		0.1283	0.1613	0.0006	0.2896	5.1285			40.6179328	51.8918835	-0.11792741		
04/03/2018	93.533		0.1474	0.1619	-0.0434	0.3093	4.8483			40.3606369	51.7739561	-0.02648583		
04/03/2018	93.221		0.1444	0.1185	0.046	0.2629	4.7235			40.2782577	51.7474703	-0.03348225		
04/03/2018	93.525		0.1496	0.1645	0.0003	0.3141	4.7542			40.2247157	51.713988	0.02556911		
04/03/2018	93.732		0.1298	0.1648	-0.0103	0.2946	4.6382			40.2900454	51.7395571	0.03134375		
04/03/2018	93.365		0.1298	0.1545	-0.036	0.2843	4.7687			40.2679708	51.7709009	-0.06006435		
Mínimo	91.448	0	0.0945	0.1185	-0.0434	0.2596	4.2168	272.298	2.85676916	40.1097996	51.7108365	-0.21624132	0.06823457	0
Promedio	92.970625	0	0.12049583	0.162775	-0.00194167	0.28327083	4.98665	272.298	2.85676916	40.5390307	51.8871093	0	0.06823457	0
Máximo	93.744	0	0.1499	0.1695	0.046	0.3141	5.4618	272.298	2.85676916	41.4776708	52.2974642	0.1611079	0.06823457	0
Desv. Est.	0.7187385	0	0.01646286	0.00995827	0.01557344	0.01580304	0.31039038	0	0	0.44037233	0.2022154	0.08376971	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
05/03/2018	94.617	0	0.1137	0.1464	-0.0126	0.2601	5.2913	271.647	2.50934598	39.9203626	51.6410737	-0.0791016	0.25405939	0
05/03/2018	94.441		0.1034	0.1338	-0.0054	0.2372	5.3312			39.8334179	51.5619721	-0.01012322		
05/03/2018	94.214		0.0985	0.1284	0.0005	0.2269	5.2439			39.7923398	51.5518489	-0.02584418		
05/03/2018	94.224		0.0939	0.1289	0.0127	0.2228	5.1762			39.73669	51.5260047	0.04709904		
05/03/2018	94.261		0.0913	0.1416	-0.009	0.2329	5.3537			39.754765	51.5731037	0.01459139		
05/03/2018	94.443		0.1096	0.1326	0.0005	0.2422	5.4952			39.8740703	51.5876951	0.01996538		
05/03/2018	94.334		0.1032	0.1331	-0.0005	0.2363	5.3293			39.904843	51.6076605	-0.01738876		
05/03/2018	94.433		0.1066	0.1326	-0.0012	0.2392	5.4985			39.851498	51.5902717	-0.06015128		
05/03/2018	94.873		0.1003	0.1314	0.0039	0.2317	5.1931			39.758139	51.5301205	-0.01339684		
05/03/2018	94.878		0.1066	0.1353	0.0084	0.2419	5.3173			39.7495803	51.5167236	0.07491107		
05/03/2018	94.855		0.1048	0.1437	-0.0008	0.2485	5.1156			39.7419942	51.5916347	-0.09810856		
05/03/2018	94.688		0.1017	0.1429	-0.0006	0.2446	5.3365			39.7288123	51.4935261	-0.00075194		
05/03/2018	93.161		0.1031	0.1423	-0.0045	0.2454	5.3582			39.7257224	51.4927742	-0.01348297		
05/03/2018	93.123		0.1014	0.1378	0.0261	0.2392	5.4737			39.6289448	51.4792912	-0.00579519		
05/03/2018	93.011		0.0987	0.1639	-0.0042	0.2626	5.4533			39.7221544	51.473496	-0.03613225		
05/03/2018	94.306		0.0854	0.1597	0.0015	0.2451	5.3171			39.5902415	51.4373638	0.03280101		
05/03/2018	94.233		0.0858	0.1612	0.001	0.247	5.3193			39.5906688	51.4701648	0.02257963		
05/03/2018	93.197		0.0921	0.1622	0.0002	0.2543	5.3464			39.6487714	51.4927444	-0.03324546		
05/03/2018	93.194		0.0913	0.1624	-0.0003	0.2537	5.3546			39.647473	51.459499	0.01047866		
05/03/2018	94.122		0.0874	0.1621	-0.0095	0.2495	5.3571			39.6438724	51.4699776	0.14708628		
05/03/2018	94.428		0.1055	0.1526	0.0059	0.2581	5.2055			39.9672709	51.6170639	-0.04332328		
05/03/2018	94.377		0.1071	0.1585	-0.0044	0.2656	5.4097			39.8779354	51.5737406	-0.03066245		
05/03/2018	94.783		0.1013	0.1541	-0.0048	0.2554	5.0962			39.8084674	51.5430782	-0.00484875		
05/03/2018	94.582		0.1154	0.1493	-0.0209	0.2647	5.2723			39.7321551	51.5382294	-0.10086563		
Mínimo	93.011	0	0.0854	0.1284	-0.0209	0.2228	5.0962	271.647	2.50934598	39.5902415	51.4373638	-0.10086563	0.25405939	0
Promedio	94.1990833	0	0.1003375	0.1457	-0.00075	0.2460375	5.31855	271.647	2.50934598	39.7595912	51.5341274	-0.00848791	0.25405939	0
Máximo	94.878	0	0.1154	0.1639	0.0261	0.2656	5.4985	271.647	2.50934598	39.9672709	51.6410737	0.14708628	0.25405939	0
Desv. Est.	0.59732264	0	0.00826632	0.01237712	0.00892583	0.01173656	0.10813832	0	0	0.10473136	0.05618477	0.05374511	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
06/03/2018	94.983	0	0.0868	0.1621	-0.002	0.2489	5.4874	271.564	1.71520694	39.5865726	51.4768235	0.02815505	0.10758848	0
06/03/2018	94.456		0.0928	0.1601	0.003	0.2529	5.3529			39.7898202	51.5049785	0.03273393		
06/03/2018	94.812		0.0962	0.1631	0.001	0.2593	5.0145			39.7824318	51.5377125	-0.00155483		
06/03/2018	94.694		0.1001	0.1641	0.0023	0.2642	5.0236			39.7964818	51.5361576	-0.00969693		
06/03/2018	94.543		0.1012	0.1664	-0.0053	0.2676	5.1683			39.7877713	51.5264607	0.00990347		
06/03/2018	94.389		0.1021	0.1611	0.0068	0.2632	5.2911			39.8079958	51.5363642	0.01005674		
06/03/2018	94.614		0.1034	0.1679	-0.0057	0.2713	5.3467			39.8401838	51.5464209	0.01750458		
06/03/2018	94.357		0.1015	0.1622	-0.0008	0.2637	5.2178			39.8659876	51.5639255	-0.00240366		
06/03/2018	94.716		0.1024	0.1614	0.0005	0.2638	5.3114			39.8631614	51.5615218	0.00720011		
06/03/2018	94.678		0.1032	0.1619	-0.0007	0.2651	5.0132			39.8514208	51.5687219	0.01105273		
06/03/2018	94.612		0.1024	0.1612	0.0054	0.2636	5.0743			39.8369748	51.5797747	-0.01396992		
06/03/2018	94.691		0.0968	0.1666	0.0033	0.2634	5.0651			39.8220728	51.5658047	-0.03198741		
06/03/2018	94.419		0.0929	0.1699	-0.0095	0.2628	5.2973			39.7920958	51.5338173	-0.02941822		
06/03/2018	94.768		0.0896	0.1604	0.0079	0.25	5.1628			39.7148984	51.5043991	0.01407972		
06/03/2018	94.848		0.0874	0.1683	-0.006	0.2557	5.2389			39.7573471	51.5184788	0.02492635		
06/03/2018	94.706		0.0913	0.1623	0.0063	0.2536	5.0943			39.8075514	51.5434052	0.05109729		
06/03/2018	94.578		0.0943	0.1686	-0.0009	0.2629	5.0493			39.9010951	51.5945025	-0.01738574		
06/03/2018	94.524		0.0952	0.1677	-0.0004	0.2629	5.0887			39.8944292	51.5771167	0.00569634		
06/03/2018	94.553		0.0957	0.1673	-0.0032	0.263	5.1433			39.8887962	51.5828131	-0.05114717		
06/03/2018	94.534		0.1012	0.1641	0.0041	0.2653	5.1152			39.9939204	51.5316659	0.07995518		
06/03/2018	94.456		0.1023	0.1682	-0.0101	0.2705	5.1155			39.9945137	51.6116211	0.00814838		
06/03/2018	94.464		0.1028	0.1581	0.0111	0.2609	5.1344			39.9842114	51.6197695	-0.00860791		
06/03/2018	94.459		0.1013	0.1692	-0.0023	0.2705	5.1243			39.9619966	51.6111615	0.01899877		
06/03/2018	94.364		0.1033	0.1669	-0.0088	0.2702	5.1234			40.0273998	51.6301603	-0.15333685		
Mínimo	94.357	0	0.0868	0.1581	-0.0101	0.2489	5.0132	271.564	1.71520694	39.5865726	51.4768235	-0.15333685	0.10758848	0
Promedio	94.5924167	0	0.09775833	0.16454583	-0.00016667	0.26230417	5.16890417	271.564	1.71520694	39.8478804	51.5568157	0	0.10758848	0
Máximo	94.983	0	0.1034	0.1699	0.0111	0.2713	5.4874	271.564	1.71520694	40.0273998	51.6301603	0.07995518	0.10758848	0
Desv. Est.	0.16367569	0	0.00538023	0.00344951	0.00563835	0.00620389	0.12385558	0	0	0.09981646	0.03929495	0.0424866	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
07/03/2018	94.4885	0	0.1187	0.1322	0.0313	0.2509	5.2369	272.531	2.46423332	40.0738027	51.6323953	-0.0490286	0.00647606	0
07/03/2018	94.4965		0.1135	0.1635	-0.0014	0.277	5.2172			39.8824834	51.5833667	-0.0078473		
07/03/2018	94.4995		0.1096	0.1621	0.001	0.2717	5.3478			39.8258986	51.5755194	-0.06201981		
07/03/2018	94.4614		0.0998	0.1631	0.0043	0.2629	5.3212			39.9283958	51.5134996	0.07589517		
07/03/2018	94.4833		0.1022	0.1674	-0.0005	0.2696	5.2321			39.8316192	51.5893948	0.06247343		
07/03/2018	94.1654		0.1133	0.1669	0.0029	0.2802	5.3791			40.0711904	51.6518682	-0.01106851		
07/03/2018	94.1341		0.1024	0.1698	-0.0187	0.2722	5.4471			40.0443345	51.6407997	0.03205413		
07/03/2018	94.0861		0.1123	0.1511	0.0048	0.2634	5.3783			40.1090241	51.6728538	-0.01017266		
07/03/2018	94.1864		0.1395	0.1559	0.0034	0.2954	5.2685			40.0493326	51.6626812	-0.08617777		
07/03/2018	94.2544		0.2036	0.1593	0.0063	0.3629	5.1989			39.9521124	51.5765034	0.00129527		
07/03/2018	94.4793		0.1919	0.1656	-0.002	0.3575	5.1592			39.9053306	51.5777987	-0.07552843		
07/03/2018	94.4858		0.1234	0.1636	-0.0065	0.287	5.1969			39.9376229	51.5022702	0.03432766		
07/03/2018	94.7201		0.1229	0.1571	-0.0022	0.28	5.1442			39.8069775	51.5365979	0.08134452		
07/03/2018	94.3982		0.1112	0.1549	0.01	0.2661	5.4125			39.9573294	51.6179424	0.07661577		
07/03/2018	93.7167		0.1491	0.1649	-0.0053	0.314	5.6331			40.167237	51.6945582	0.06145533		
07/03/2018	93.3607		0.1674	0.1596	-0.0015	0.327	5.3613			40.298163	51.7560135	-0.06492811		
07/03/2018	93.8784		0.1464	0.1581	-0.0008	0.3045	5.5863			40.1527402	51.6910854	0.00624617		
07/03/2018	93.6913		0.1631	0.1573	0.0039	0.3204	5.6303			40.1851061	51.6973316	-0.00038726		
07/03/2018	93.8254		0.1662	0.1612	-0.0071	0.3274	5.5188			40.1778866	51.6969443	-0.14381782		
07/03/2018	94.6298		0.1339	0.1541	-0.0048	0.288	5.3603			39.8497181	51.5531265	-0.02822832		
07/03/2018	94.7969		0.1445	0.1493	-0.0071	0.2938	5.3171			39.7816886	51.5248982	-0.21005386		
07/03/2018	94.7544		0.1321	0.1422	0.0017	0.2743	5.4194			39.656009	51.3148443	-0.00875747		
07/03/2018	93.5782		0.1458	0.1439	-0.0034	0.2897	5.1279			39.5676703	51.3060868	0.17198327		
07/03/2018	94.8385		0.1372	0.1405	-0.0083	0.2777	5.0451			39.7010818	51.4780701	-0.17198327		
Mínimo	93.3607	0	0.0998	0.1322	-0.0187	0.2509	5.0451	272.531	2.46423332	39.5676703	51.3060868	-0.21005386	0.00647606	0
Promedio	94.2670542	0	0.13541667	0.15681667	0	0.29223333	5.3308125	272.531	2.46423332	39.9546981	51.5852687	-0.01359619	0.00647606	0
Máximo	94.8385	0	0.2036	0.1698	0.0313	0.3629	5.6331	272.531	2.46423332	40.298163	51.7560135	0.17198327	0.00647606	0
Desv. Est.	0.41050782	0	0.02790271	0.00949067	0.00894004	0.02923556	0.15803822	0	0	0.184192	0.1110609	0.08659192	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
08/03/2018	94.4875	0	0.1268	0.1485	0.0097	0.2753	5.2435	271.746	3.48772687	39.8745275	51.5463488	0.11141656	0	0
08/03/2018	94.0751		0.1343	0.1582	0.004	0.2925	5.5109			40.0695713	51.6577654	-0.05620508		
08/03/2018	94.1352		0.1801	0.1622	0.0054	0.3423	5.4124			40.0731419	51.6015603	0.07391241		
08/03/2018	93.7685		0.1732	0.1676	0.0063	0.3408	5.5931			40.1306512	51.6754727	0.08896824		
08/03/2018	93.7241		0.1665	0.1739	-0.0008	0.3404	5.3384			40.2150007	51.764441	-0.08380687		
08/03/2018	93.7848		0.1462	0.1731	-0.0089	0.3193	5.5726			40.183704	51.6806341	0.05296607		
08/03/2018	93.5983		0.1915	0.1642	0.0016	0.3557	5.6501			40.2347823	51.7336002	-0.01000116		
08/03/2018	93.5042		0.2257	0.1658	-0.0005	0.3915	5.3613			40.3398275	51.723599	-0.0123562		
08/03/2018	93.6178		0.2034	0.1653	-0.0011	0.3687	5.6132			40.2488611	51.7112428	-0.0382359		
08/03/2018	93.9299		0.1684	0.1642	-0.0065	0.3326	5.5334			40.1407804	51.6730069	-0.01334916		
08/03/2018	94.0927		0.1615	0.1577	-0.0094	0.3192	5.4258			40.0854103	51.6596577	-0.05596078		
08/03/2018	94.5354		0.1491	0.1483	-0.0155	0.2974	5.3162			39.9768368	51.603697	-0.03868837		
08/03/2018	94.6141		0.1184	0.1328	-0.0059	0.2512	5.2774			39.885377	51.5650086	-0.05996455		
08/03/2018	94.9144		0.1271	0.1269	0.0052	0.254	5.0966			39.7108536	51.505044	-0.01337772		
08/03/2018	94.9281		0.1155	0.1321	-0.0129	0.2476	5.1122			39.6854179	51.4916663	0.00130196		
08/03/2018	94.9742		0.1096	0.1192	0.0239	0.2288	5.1676			39.6894019	51.4929683	-0.04349691		
08/03/2018	94.6929		0.1362	0.1431	-0.0187	0.2793	5.1076			39.6750706	51.4494714	0.00572907		
08/03/2018	94.7424		0.1848	0.1244	0.0017	0.3092	5.1687			39.7266298	51.4552004	0.10491696		
08/03/2018	94.4492		0.1425	0.1261	0.0073	0.2686	5.4771			39.8643166	51.5601174	0.01799802		
08/03/2018	94.2491		0.1617	0.1334	0.0119	0.2951	5.4676			39.9442449	51.5781154	0.07442611		
08/03/2018	94.2327		0.1527	0.1453	0.0118	0.298	5.5433			40.1033886	51.6525415	0.06338469		
08/03/2018	94.0863		0.1348	0.1571	0.0147	0.2919	5.4627			40.188876	51.7159262	-0.01307519		
08/03/2018	93.7011		0.1429	0.1718	-0.0031	0.3147	5.6836			40.2709805	51.702851	0.0411775		
08/03/2018	93.5697		0.1422	0.1687	-0.0495	0.3109	5.6355			40.2471545	51.7440285	-0.29455716		
Mínimo	93.5042	0	0.1096	0.1192	-0.0495	0.2288	5.0966	271.746	3.48772687	39.6750706	51.4494714	-0.29455716	0	0
Promedio	94.1836542	0	0.1539625	0.15124583	-0.00122083	0.30520833	5.40711667	271.746	3.48772687	40.0235336	51.6226652	-0.00403656	0	0
Máximo	94.9742	0	0.2257	0.1739	0.0239	0.3915	5.6836	271.746	3.48772687	40.3398275	51.764441	0.11141656	0	0
Desv. Est.	0.47256939	0	0.02889587	0.017558	0.01438604	0.04029603	0.18596116	0	0	0.21312954	0.09649989	0.08343973	0	0



	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
09/03/2018	94.4921	0	0.1424	0.1533	0.0089	0.2957	5.4871	271.658	3.00078294	40.1121888	51.6845204	0.03284329	0	0
09/03/2018	93.9287		0.1432	0.1622	-0.0008	0.3054	5.6923			40.1632264	51.7173636	0.03675183		
09/03/2018	93.7293		0.1425	0.1614	-0.001	0.3039	5.6651			40.2732488	51.7541155	0.05763383		
09/03/2018	93.5074		0.1359	0.1604	-0.003	0.2963	5.5117			40.3631844	51.8117493	0.08529644		
09/03/2018	93.4567		0.1428	0.1574	-0.0063	0.3002	5.5201			40.3620888	51.8970458	-0.0822026		
09/03/2018	93.3619		0.1431	0.1511	0.004	0.2942	5.6141			40.4101544	51.8148431	0.02318196		
09/03/2018	93.3412		0.1554	0.1551	0.001	0.3105	5.5156			40.4126072	51.8380251	-0.05100652		
09/03/2018	93.4574		0.1566	0.1561	-0.0018	0.3127	5.6173			40.3797952	51.7870186	-0.00745726		
09/03/2018	93.5346		0.1577	0.1543	0.001	0.312	5.6273			40.3457288	51.7795613	-0.00533694		
09/03/2018	93.5692		0.1504	0.1553	-0.0026	0.3057	5.6671			40.3607474	51.7742244	-0.21251762		
09/03/2018	93.5237		0.1603	0.1527	0.0069	0.313	5.6683			40.3147072	51.5617068	0.21850463		
09/03/2018	93.7112		0.1457	0.1596	-0.0042	0.3053	5.6269			40.2573468	51.7802114	-0.0595708		
09/03/2018	93.8162		0.1356	0.1554	-0.0027	0.291	5.5807			40.2863984	51.7206406	-0.01083172		
09/03/2018	93.9521		0.1367	0.1527	-0.0032	0.2894	5.4945			40.1719784	51.7098089	-0.03595857		
09/03/2018	94.0818		0.1344	0.1495	-0.0042	0.2839	5.3953			40.1188574	51.6738503	-0.03820024		
09/03/2018	94.3127		0.1265	0.1453	-0.0021	0.2718	5.3282			40.0250408	51.6356501	-0.05577285		
09/03/2018	94.5493		0.1276	0.1432	-0.0021	0.2708	5.2071			39.9035688	51.5798772	-0.01154343		
09/03/2018	94.6825		0.1241	0.1411	0.008	0.2652	5.0862			39.8679522	51.5683338	-0.04924754		
09/03/2018	94.8086		0.1428	0.1491	-0.0015	0.2919	5.1424			39.7338612	51.5190862	0.0285259		
09/03/2018	94.7325		0.1272	0.1476	0.0019	0.2748	5.2975			39.8418403	51.5476121	0.00597373		
09/03/2018	94.6924		0.1344	0.1495	-0.0032	0.2839	5.2558			39.8072116	51.5535859	0.004276		
09/03/2018	94.7461		0.1233	0.1463	0.0013	0.2696	5.2622			39.8756272	51.5578619	-0.02501366		
09/03/2018	94.8543		0.1143	0.1476	-0.0012	0.2619	5.2692			39.8262048	51.5328482	-0.01832991		
09/03/2018	94.951		0.1177	0.1464	-0.0053	0.2641	5.2674			39.7123454	51.5145183	0		
Mínimo	93.3412	0	0.1143	0.1411	-0.0063	0.2619	5.0862	271.658	3.00078294	39.7123454	51.5145183	-0.21251762	0	0
Promedio	94.0747042	0	0.13835833	0.15219167	-0.00050833	0.29055	5.449975	271.658	3.00078294	40.1219129	51.6797524	-0.00708342	0	0
Máximo	94.951	0	0.1603	0.1622	0.0089	0.313	5.6923	271.658	3.00078294	40.4126072	51.8970458	0.21850463	0	0
Desv. Est.	0.5649649	0	0.01261593	0.00579077	0.00402113	0.01687295	0.18846532	0	0	0.24068474	0.11780668	0.07478305	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
10/03/2018	94.1382	0	0.1105	0.1632	0.0024	0.2737	5.7324	271.691	3.97691858	39.7132338	51.4114387	0.01296021	0.08176685	0
10/03/2018	94.1384		0.1109	0.1656	-0.0028	0.2765	5.6965			39.6970584	51.4243989	0.04789222		
10/03/2018	94.1238		0.1103	0.1628	-0.001	0.2731	5.6835			39.6804011	51.4722911	0.00276388		
10/03/2018	94.0935		0.1112	0.1618	-0.0006	0.273	5.6715			39.7286116	51.475055	-0.03601029		
10/03/2018	94.1341		0.1094	0.1612	0.0015	0.2706	5.6673			39.601504	51.4390447	-0.02501609		
10/03/2018	94.1338		0.1171	0.1627	-0.0116	0.2798	5.6083			39.6171475	51.4140286	0.01496097		
10/03/2018	94.1938		0.1089	0.1511	0.0035	0.26	5.6218			39.607228	51.4289896	-0.010892		
10/03/2018	94.3273		0.1121	0.1546	0.0143	0.2667	5.6252			39.5960957	51.4180976	0.07233833		
10/03/2018	94.2875		0.1123	0.1689	-0.0016	0.2812	5.6399			39.5805927	51.4904359	-0.00244541		
10/03/2018	94.6279		0.1136	0.1673	0.0003	0.2809	5.6963			39.5878942	51.4879905	-0.07105544		
10/03/2018	94.3802		0.0999	0.1676	0.0003	0.2675	5.6835			39.5847677	51.4169351	0.04188573		
10/03/2018	94.6318		0.0969	0.1679	-0.0046	0.2648	5.6911			39.5522949	51.4588208	-0.09556557		
10/03/2018	94.1303		0.0958	0.1633	0.0003	0.2591	5.6221			39.5433826	51.3632552	-0.35279913		
10/03/2018	94.0543		0.0963	0.1636	0.001	0.2599	5.6392			39.5455471	51.0104561	0.44411644		
10/03/2018	94.3869		0.0974	0.1646	0.0028	0.262	5.6354			39.5575517	51.4545726	-0.00967319		
10/03/2018	94.4138		0.0983	0.1674	-0.0026	0.2657	5.5652			39.5570889	51.4448994	-0.05487405		
10/03/2018	94.5138		0.1016	0.1648	-0.0127	0.2664	5.4826			39.5589334	51.3900253	-0.02073265		
10/03/2018	94.6552		0.1031	0.1521	0.0008	0.2552	5.4262			39.4865444	51.3692927	-0.06819538		
10/03/2018	94.6913		0.1136	0.1529	-0.0008	0.2665	5.4659			39.4681324	51.3010973	0.14598138		
10/03/2018	93.4749		0.1182	0.1521	-0.0058	0.2703	5.5423			39.5305022	51.4470787	-0.01871748		
10/03/2018	94.3741		0.1164	0.1463	0.0198	0.2627	5.6271			39.6078671	51.4283612	0.08380209		
10/03/2018	94.3292		0.1185	0.1661	-0.0067	0.2846	5.7313			39.7820109	51.5121633	-0.051588		
10/03/2018	94.2381		0.1117	0.1594	-0.0143	0.2711	5.6344			39.6481018	51.4605753	-0.06584042		
10/03/2018	94.5467		0.1129	0.1451	0	0.258	5.5252			39.5046266	51.3947348	-0.38427874		
Mínimo	93.4749	0	0.0958	0.1451	-0.0143	0.2552	5.4262	271.691	3.97691858	39.4681324	51.0104561	-0.38427874	0.08176685	0
Promedio	94.2924542	0	0.10820417	0.16051667	-0.00075417	0.26872083	5.621425	271.691	3.97691858	39.5973799	51.4130849	-0.01670761	0.08176685	0
Máximo	94.6913	0	0.1185	0.1689	0.0198	0.2846	5.7324	271.691	3.97691858	39.7820109	51.5121633	0.44411644	0.08176685	0
Desv. Est.	0.26395575	0	0.00746385	0.00710589	0.00731906	0.00802014	0.08190621	0	0	0.07792661	0.09741094	0.15215148	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
11/03/2018	93.558	0	0.1681	0.1339	-0.0018	0.302	5.4737	271.774	3.81290469	39.4449205	51.3728124	-0.02905817	0.13002413	0
11/03/2018	93.831		0.1609	0.1321	0.0034	0.293	5.3647			39.4865782	51.3437542	-0.00614946		
11/03/2018	93.621		0.1631	0.1355	0.0073	0.2986	5.4584			39.4938053	51.3376048	0.12879615		
11/03/2018	94.215		0.1632	0.1428	0.0091	0.306	5.6355			39.6351287	51.4664009	-0.04271532		
11/03/2018	93.149		0.1619	0.1519	0.0002	0.3138	5.6743			39.6727669	51.4236856	0.00582278		
11/03/2018	93.261		0.1623	0.1521	-0.0077	0.3144	5.5254			39.5703886	51.4295084	-0.05931878		
11/03/2018	94.368		0.1652	0.1444	0.008	0.3096	5.5439			39.5339109	51.3701896	-0.05834815		
11/03/2018	93.463		0.1659	0.1524	-0.0011	0.3183	5.5745			39.5297465	51.3118414	0.0799656		
11/03/2018	94.453		0.1636	0.1513	0.002	0.3149	5.5873			39.5940122	51.391807	-0.00125769		
11/03/2018	94.316		0.1718	0.1533	-0.0029	0.3251	5.6738			39.5525234	51.3905494	-0.01216734		
11/03/2018	93.806		0.1726	0.1504	-0.002	0.323	5.6403			39.4393358	51.378382	0.00607889		
11/03/2018	93.738		0.1786	0.1484	-0.0071	0.327	5.6773			39.5232343	51.3844609	-0.00242879		
11/03/2018	93.444		0.1666	0.1413	-0.0054	0.3079	5.6373			39.3995669	51.3820321	-0.05159032		
11/03/2018	93.673		0.1623	0.1359	0.006	0.2982	5.5696			39.4998634	51.3304418	-0.01257864		
11/03/2018	94.117		0.1652	0.1419	0.002	0.3071	5.5187			39.3901758	51.3178632	0.00987405		
11/03/2018	93.932		0.1682	0.1439	0.0014	0.3121	5.5547			39.4335549	51.3277372	-0.00754477		
11/03/2018	93.663		0.1654	0.1453	1E-04	0.3107	5.4884			39.4365936	51.3201924	0.02361064		
11/03/2018	93.531		0.1613	0.1454	0.0018	0.3067	5.5438			39.4875404	51.3438031	0.04764071		
11/03/2018	93.393		0.1634	0.1472	-0.0008	0.3106	5.4575			39.4346501	51.3914438	-0.05444681		
11/03/2018	93.726		0.1621	0.1464	0.0017	0.3085	5.4451			39.4352988	51.336997	0.00656394		
11/03/2018	93.668		0.1617	0.1481	-0.0103	0.3098	5.5266			39.4512752	51.3435609	0.01205358		
11/03/2018	93.833		0.1715	0.1378	0.002	0.3093	5.5351			39.4639688	51.3556145	-0.00928398		
11/03/2018	93.543		0.1688	0.1398	-0.0019	0.3086	5.5311			39.4320533	51.3463305	0.00543882		
11/03/2018	93.824		0.1637	0.1379	-0.0058	0.3016	5.5536			39.4336528	51.3517694	-0.03992791		
Mínimo	93.149	0	0.1609	0.1321	-0.0103	0.293	5.3647	271.774	3.81290469	39.3901758	51.3118414	-0.05931878	0.13002413	0
Promedio	93.75525	0	0.165725	0.14414167	-7.5E-05	0.30986667	5.54960833	271.774	3.81290469	39.490606	51.3645326	-0.00254046	0.13002413	0
Máximo	94.453	0	0.1786	0.1533	0.0091	0.327	5.6773	271.774	3.81290469	39.6727669	51.4664009	0.12879615	0.13002413	0
Desv. Est.	0.34077664	0	0.00439142	0.00633396	0.00496669	0.00822222	0.07999059	0	0	0.07340642	0.03846718	0.04341338	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
12/03/2018	93.5336	0	0.1725	0.1332	-0.0009	0.3057	5.5744	271.684	3.96720158	39.4762109	51.3564372	-0.06412814	0.03584291	0
12/03/2018	93.5056		0.1717	0.1323	-0.0012	0.304	5.5278			39.4123668	51.2923091	0.0819046		
12/03/2018	93.3794		0.1723	0.1311	0.0018	0.3034	5.6391			39.5444747	51.3742137	0.08961747		
12/03/2018	93.2808		0.1736	0.1329	-0.0007	0.3065	5.7697			39.5543618	51.4638312	-0.00039628		
12/03/2018	93.1864		0.1785	0.1322	-0.0009	0.3107	5.7319			39.6929465	51.4634349	-0.0320437		
12/03/2018	93.1707		0.1765	0.1313	0.0031	0.3078	5.7495			39.6890122	51.4313912	-0.01686765		
12/03/2018	93.9925		0.1701	0.1344	-0.0003	0.3045	5.3773			39.6145349	51.4145235	0.05421184		
12/03/2018	93.0921		0.1688	0.1341	-0.0016	0.3029	5.6636			39.6672214	51.4687354	-0.01684382		
12/03/2018	93.1804		0.1704	0.1325	0.0056	0.3029	5.7581			39.6270101	51.4518916	-0.03644325		
12/03/2018	93.1952		0.1635	0.1381	-0.0029	0.3016	5.7261			39.6877218	51.4154483	0.08401388		
12/03/2018	93.2786		0.1706	0.1352	-0.0023	0.3058	5.6949			39.6331028	51.4994622	0.00027697		
12/03/2018	93.3731		0.1757	0.1329	0.0016	0.3086	5.6582			39.5581239	51.4997392	-0.10567388		
12/03/2018	93.3872		0.1739	0.1345	-0.0027	0.3084	5.6962			39.5324922	51.3940653	0.05552452		
12/03/2018	93.3208		0.1773	0.1318	0.0008	0.3091	5.7412			39.5624259	51.4495898	0.04359795		
12/03/2018	93.3595		0.1753	0.1326	0.0079	0.3079	5.6995			39.5468339	51.4931878	-0.02449025		
12/03/2018	93.2994		0.1732	0.1405	-0.0003	0.3137	5.7171			39.5267906	51.4686975	-0.00231305		
12/03/2018	93.2995		0.1789	0.1402	-0.0019	0.3191	5.7223			39.5443268	51.4663844	-0.09960873		
12/03/2018	93.7043		0.1077	0.1383	-0.0012	0.246	5.5332			39.4092529	51.3667757	-0.01018861		
12/03/2018	93.6736		0.1704	0.1371	0.0027	0.3075	5.5621			39.4912944	51.3565871	-0.04428795		
12/03/2018	93.4818		0.1707	0.1398	-0.0065	0.3105	5.6081			39.5632702	51.3122992	0.11335334		
12/03/2018	93.3554		0.1736	0.1333	-0.0015	0.3069	5.6804			39.5750187	51.4256525	-0.12518914		
12/03/2018	93.4165		0.1741	0.1318	-0.0016	0.3059	5.5929			39.4210253	51.3004634	-0.03803589		
12/03/2018	93.5477		0.1728	0.1302	0.0065	0.303	5.4591			39.4260305	51.2624275	0.00115594		
12/03/2018	93.6241		0.1719	0.1367	-0.0065	0.3086	5.4114			39.3808993	51.2635834	-0.00115594		
Mínimo	93.0921	0	0.1077	0.1302	-0.0065	0.246	5.3773	271.684	3.96720158	39.3808993	51.2624275	-0.12518914	0.03584291	0
Promedio	93.4015917	0	0.17016667	0.13445833	-0.000125	0.304625	5.63725417	271.684	3.96720158	39.5473645	51.4037971	-0.00391707	0.03584291	0
Máximo	93.9925	0	0.1789	0.1405	0.0079	0.3191	5.7697	271.684	3.96720158	39.6929465	51.4997392	0.11335334	0.03584291	0
Desv. Est.	0.2053634	0	0.01371628	0.00307202	0.00349301	0.01306779	0.11136071	0	0	0.09313435	0.07509156	0.06259537	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
13/03/2018	94.4585	0	0.1704	0.1456	-0.0105	0.316	5.4773	271.667	4.17012469	39.4541812	51.3128527	0.0636212	0.04236374	0
13/03/2018	94.1447		0.1666	0.1351	0.004	0.3017	5.6625			39.6358798	51.3764739	0.16094196		
13/03/2018	94.6959		0.1774	0.1391	-0.0007	0.3165	5.5198			39.8547709	51.5374159	0.0847663		
13/03/2018	94.2192		0.1735	0.1384	-0.0042	0.3119	5.3429			40.0058791	51.6221822	-0.02089393		
13/03/2018	94.3867		0.1791	0.1342	-0.004	0.3133	5.2017			39.9717566	51.6012882	-0.04095177		
13/03/2018	94.6045		0.1755	0.1302	0.0021	0.3057	5.0466			39.8881854	51.5603365	-0.00225329		
13/03/2018	94.6195		0.1757	0.1323	-0.0014	0.308	5.0163			39.8897849	51.5580832	0.19119465		
13/03/2018	93.9342		0.1798	0.1309	0.0089	0.3107	5.2887			40.2583135	51.7492778	-0.08341853		
13/03/2018	94.4142		0.1714	0.1398	-0.0024	0.3112	5.2527			40.0787883	51.6658593	-0.10979414		
13/03/2018	94.7058		0.1774	0.1374	0.0005	0.3148	5.3317			39.8653239	51.5560652	-0.02800326		
13/03/2018	94.8117		0.1748	0.1379	-0.0073	0.3127	5.2927			39.8028464	51.5280619	-0.02360106		
13/03/2018	94.8634		0.1719	0.1306	0.004	0.3025	5.3115			39.7756033	51.5044609	-0.03788156		
13/03/2018	94.0662		0.1747	0.1346	0.0041	0.3093	5.3145			39.6804324	51.4665793	-0.02429095		
13/03/2018	94.1921		0.1717	0.1387	-0.0056	0.3104	5.3175			39.6372016	51.4422883	-0.01685411		
13/03/2018	94.2747		0.1727	0.1331	0.0065	0.3058	5.3271			39.5932786	51.4254342	0.04944209		
13/03/2018	94.3065		0.1742	0.1396	0.0013	0.3138	5.6871			39.5800053	51.4748763	-0.05702984		
13/03/2018	94.1295		0.1741	0.1409	0.0008	0.315	5.3934			39.6464382	51.4178465	0.06400511		
13/03/2018	94.8657		0.1766	0.1417	-0.0065	0.3183	5.3923			39.7328888	51.4818516	-0.04951107		
13/03/2018	94.2129		0.1703	0.1352	0.0002	0.3055	5.5114			39.6253595	51.4323405	-0.01877904		
13/03/2018	94.3108		0.1717	0.1354	-0.0022	0.3071	5.6658			39.5875367	51.4135615	0.00045013		
13/03/2018	94.3043		0.1787	0.1332	0.0091	0.3119	5.6879			39.5856489	51.4140116	-0.05239641		
13/03/2018	94.3528		0.1743	0.1423	-0.0009	0.3166	5.5977			39.5424374	51.3616152	-0.0183531		
13/03/2018	94.3675		0.1765	0.1414	-0.0005	0.3179	5.5672			39.5244436	51.3432621	0.02584414		
13/03/2018	94.2892		0.1704	0.1409	-0.0107	0.3113	5.6469			39.5599425	51.3691063	-0.05625355		
Mínimo	93.9342	0	0.1666	0.1302	-0.0107	0.3017	5.0163	271.667	4.17012469	39.4541812	51.3128527	-0.10979414	0.04236374	0
Promedio	94.3971042	0	0.17414167	0.13702083	-0.00064167	0.3111625	5.41055	271.667	4.17012469	39.7407053	51.4839638	0	0.04236374	0
Máximo	94.8657	0	0.1798	0.1456	0.0091	0.3183	5.6879	271.667	4.17012469	40.2583135	51.7492778	0.19119465	0.04236374	0
Desv. Est.	0.25627427	0	0.00324277	0.00415932	0.00531453	0.00469392	0.19283528	0	0	0.200761	0.10821142	0.07162264	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
14/03/2018	93.1725	0	0.1764	0.1436	0.0036	0.32	5.7053	271.727	4.43193789	39.6267635	51.4126226	0.03570913	0	0
14/03/2018	93.1264		0.1789	0.1472	-0.0158	0.3261	5.7557			39.6539503	51.4483317	0.04152871		
14/03/2018	93.0383		0.1792	0.1314	-0.0005	0.3106	5.6148			39.7052234	51.4898604	-0.0384738		
14/03/2018	93.1486		0.1779	0.1309	0.0038	0.3088	5.7489			39.6640262	51.4513866	-0.01864551		
14/03/2018	93.2373		0.1755	0.1347	0.0024	0.3102	5.7289			39.6134451	51.4327411	0.0029107		
14/03/2018	93.2157		0.1796	0.1371	0.0022	0.3167	5.7339			39.6242137	51.4356518	0.02774262		
14/03/2018	93.1303		0.1703	0.1393	-0.0022	0.3096	5.7632			39.6752669	51.4633944	0.01475321		
14/03/2018	93.1404		0.1732	0.1371	-0.0046	0.3103	5.7882			39.6675238	51.4781476	-0.0022597		
14/03/2018	93.0235		0.1757	0.1325	0.0048	0.3082	5.6359			39.7089144	51.4758879	0.0324005		
14/03/2018	92.9421		0.1734	0.1373	-0.0011	0.3107	5.6261			39.7705896	51.5082884	0.02852016		
14/03/2018	92.9093		0.1708	0.1362	-0.0039	0.307	5.6276			39.8213604	51.5368086	-0.04910235		
14/03/2018	93.0959		0.1746	0.1323	0.0052	0.3069	5.7462			39.7207769	51.4877063	-0.05259555		
14/03/2018	93.2625		0.177	0.1375	-0.0014	0.3145	5.6987			39.6261182	51.4351107	-0.0073263		
14/03/2018	93.2881		0.1744	0.1361	0.0081	0.3105	5.7001			39.6030715	51.4277844	0.01173697		
14/03/2018	93.2681		0.1722	0.1442	0.0001	0.3164	5.7272			39.6079366	51.4395214	-0.01018046		
14/03/2018	93.3549		0.1779	0.1443	0.0011	0.3222	5.6454			39.5872325	51.4293409	-0.01025906		
14/03/2018	93.3088		0.1787	0.1454	-0.0101	0.3241	5.6595			39.6083786	51.4190819	0.02400122		
14/03/2018	93.2651		0.1702	0.1353	-0.001	0.3055	5.6901			39.6263568	51.4430831	-0.01909186		
14/03/2018	93.3573		0.1796	0.1343	-0.0029	0.3139	5.6347			39.5853279	51.4239912	-0.01978746		
14/03/2018	93.4268		0.1753	0.1314	0.0094	0.3067	5.6173			39.5449522	51.4042038	0.00891781		
14/03/2018	93.3889		0.1738	0.1408	0.0016	0.3146	5.6805			39.5493357	51.4131216	-0.0416565		
14/03/2018	93.4054		0.1734	0.1424	-0.0016	0.3158	5.6573			39.5195784	51.3714651	0.00666453		
14/03/2018	93.3999		0.1705	0.1408	0.0069	0.3113	5.6182			39.5260705	51.3781296	0.02433718		
14/03/2018	93.2977		0.1728	0.1477	-0.0168	0.3205	5.6732			39.5703893	51.4024668	-0.03100171		
Mínimo	92.9093	0	0.1702	0.1309	-0.0168	0.3055	5.6148	271.727	4.43193789	39.5195784	51.3714651	-0.05259555	0	0
Promedio	93.216825	0	0.17505417	0.138325	-0.00052917	0.31337917	5.6865375	271.727	4.43193789	39.6336168	51.4420053	-0.0017149	0	0
Máximo	93.4268	0	0.1796	0.1477	0.0094	0.3261	5.7882	271.727	4.43193789	39.8213604	51.5368086	0.04152871	0	0
Desv. Est.	0.1461325	0	0.00308164	0.00518579	0.00651823	0.00581108	0.05328862	0	0	0.07446135	0.03952941	0.02793123	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
15/03/2018	93.1825	0	0.1747	0.1502	0.0067	0.3249	5.3684	271.549	4.38486309	39.6152501	51.4336796	0.03159557	0.06235456	0
15/03/2018	93.1236		0.1731	0.1569	0.0029	0.33	5.5887			39.6774054	51.4652751	0.10049995		
15/03/2018	94.5629		0.1722	0.1598	0.0061	0.332	5.2436			39.8933397	51.5657751	0.1121034		
15/03/2018	93.9315		0.1746	0.1659	0.0023	0.3405	5.5887			40.0405295	51.6778785	0.00917845		
15/03/2018	93.7787		0.1766	0.1682	-0.0018	0.3448	5.6182			40.0710909	51.6870569	-0.00091047		
15/03/2018	93.8812		0.1667	0.1664	-0.0021	0.3331	5.6236			40.0596693	51.6861465	-0.14630443		
15/03/2018	94.2794		0.1631	0.1643	0.0002	0.3274	5.5816			39.8026158	51.539842	-0.00387715		
15/03/2018	94.3152		0.1666	0.1645	-0.0036	0.3311	5.2881			39.8820761	51.5359649	-0.00425993		
15/03/2018	94.3589		0.1752	0.1609	0.0034	0.3361	5.3642			39.8904218	51.5317049	0.01622955		
15/03/2018	94.2236		0.1718	0.1643	-0.0048	0.3361	5.1653			39.2001128	51.5479345	-0.03707238		
15/03/2018	94.2175		0.1792	0.1595	-0.0072	0.3387	5.4346			39.7723846	51.5108621	-0.02285705		
15/03/2018	93.6297		0.1726	0.1523	0.0049	0.3249	5.4143			39.7206906	51.4880051	-0.02029736		
15/03/2018	93.6229		0.1718	0.1572	-0.0043	0.329	5.4399			39.6868069	51.4677077	0.0039407		
15/03/2018	93.6129		0.1776	0.1529	0.0007	0.3305	5.3839			39.6785238	51.4716484	0.02618873		
15/03/2018	94.2791		0.1786	0.1536	0.0045	0.3322	5.3949			39.7153642	51.4978371	0.18037835		
15/03/2018	93.8505		0.1738	0.1581	-0.0055	0.3319	5.2632			40.0835407	51.6782155	0.02173814		
15/03/2018	93.7422		0.1797	0.1526	0.0031	0.3323	5.1537			40.0615307	51.6999536	0.01203812		
15/03/2018	93.6259		0.1678	0.1557	0.0092	0.3235	5.1826			40.1432441	51.7119918	-0.13695427		
15/03/2018	94.5861		0.1673	0.1649	0.0008	0.3322	5.1644			39.8449706	51.5750375	-0.02505815		
15/03/2018	94.6299		0.1609	0.1657	-0.0043	0.3266	5.4123			39.9810985	51.5499793	-0.01111891		
15/03/2018	94.3784		0.1679	0.1614	0.0033	0.3293	5.2905			39.8132218	51.5388604	0.05281856		
15/03/2018	94.4757		0.1618	0.1647	0.0077	0.3265	5.1215			39.9015941	51.591679	0.07995974		
15/03/2018	93.3469		0.1633	0.1724	0.0022	0.3357	5.5258			40.1904711	51.6716387	0.0095726		
15/03/2018	93.5124		0.1613	0.1746	-0.0244	0.3359	5.5655			40.1487427	51.6812113	-0.24753176		
Mínimo	93.1236	0	0.1609	0.1502	-0.0244	0.3235	5.1215	271.549	4.38486309	39.2001128	51.4336796	-0.24753176	0.06235456	0
Promedio	93.9644833	0	0.17075833	0.161125	0	0.33188333	5.38239583	271.549	4.38486309	39.869779	51.5752452	0	0.06235456	0
Máximo	94.6299	0	0.1797	0.1746	0.0092	0.3448	5.6236	271.549	4.38486309	40.1904711	51.7119918	0.18037835	0.06235456	0
Desv. Est.	0.45224857	0	0.00593391	0.00645872	0.00685293	0.00519847	0.16246175	0	0	0.22286398	0.08862442	0.08639427	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ - 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ - .5	6,00	150,00
16/03/2018	93.4132	0	0.1752	0.1376	-0.0047	0.3128	5.2982	271.716	3.63180323	40.2537828	51.7229734	-0.00012711	0.09147274	0
16/03/2018	93.5123		0.1787	0.1329	0.0044	0.3116	5.2527			40.1581804	51.7228463	0.05969795		
16/03/2018	93.5452		0.1744	0.1373	-0.0017	0.3117	5.2962			40.3175162	51.7825442	-0.01422786		
16/03/2018	93.3671		0.1736	0.1356	-0.001	0.3092	5.1537			40.2769058	51.7683163	-0.01427888		
16/03/2018	93.6625		0.1733	0.1346	0.0011	0.3079	5.2391			40.2635033	51.7540375	-0.01351856		
16/03/2018	93.5669		0.1756	0.1357	-0.0035	0.3113	5.4566			40.2617122	51.7405189	0.00625259		
16/03/2018	93.2935		0.1764	0.1322	-0.001	0.3086	5.4464			40.2428422	51.7467715	-0.0170992		
16/03/2018	93.5291		0.1752	0.1312	0.0046	0.3064	5.3814			40.1996588	51.7296723	-0.03761668		
16/03/2018	94.0723		0.1739	0.1358	0.0026	0.3097	5.3176			40.1315399	51.6920556	-0.02461872		
16/03/2018	94.2151		0.1781	0.1384	-0.0078	0.3165	5.3259			40.0673294	51.6674369	-0.03127847		
16/03/2018	94.2388		0.1761	0.1306	0.0055	0.3067	5.4488			39.9951475	51.6361584	0.03468673		
16/03/2018	93.1601		0.1732	0.1361	-0.0029	0.3093	5.2241			40.0524575	51.6708452	-0.04766098		
16/03/2018	94.2229		0.1758	0.1332	0.0032	0.309	5.5385			39.9053949	51.6231842	0.06852043		
16/03/2018	93.2822		0.1763	0.1364	-0.0036	0.3127	5.2856			40.0425789	51.6917046	-0.02926211		
16/03/2018	94.1425		0.1758	0.1328	0.0044	0.3086	5.4881			40.0644635	51.6624425	-0.0203889		
16/03/2018	94.2922		0.1751	0.1372	0	0.3123	5.3586			40.0624061	51.6420536	-0.02565843		
16/03/2018	94.4362		0.1741	0.1372	-0.0031	0.3113	5.2239			39.9084518	51.6163952	-0.00616484		
16/03/2018	94.4229		0.1764	0.1341	-0.0022	0.3105	5.2254			39.9191598	51.6102303	0.04313284		
16/03/2018	94.2011		0.1762	0.1319	0.0029	0.3081	5.3269			40.0007874	51.6533632	0.02520072		
16/03/2018	94.1249		0.1782	0.1348	-0.002	0.313	5.3517			40.0304084	51.6785639	-0.00345879		
16/03/2018	94.1264		0.1776	0.1328	-0.0003	0.3104	5.3453			40.0991139	51.6751051	0.02870907		
16/03/2018	94.0062		0.1764	0.1325	0.0013	0.3089	5.4319			40.1095171	51.7038142	-0.00047054		
16/03/2018	93.9435		0.1762	0.1338	0	0.31	5.4582			40.1667719	51.7033436	-0.07064019		
16/03/2018	94.2252		0.1784	0.1338	-0.0032	0.3122	5.2595			40.0412331	51.6327034	-0.0224731		
Mínimo	93.1601	0	0.1732	0.1306	-0.0078	0.3064	5.1537	271.716	3.63180323	39.9053949	51.6102303	-0.07064019	0.09147274	0
Promedio	93.8750958	0	0.17584167	0.13452083	-0.00029167	0.3103625	5.33892917	271.716	3.63180323	40.1071193	51.6886283	-0.00469763	0.09147274	0
Máximo	94.4362	0	0.1787	0.1384	0.0055	0.3165	5.5385	271.716	3.63180323	40.3175162	51.7825442	0.06852043	0.09147274	0
Desv. Est.	0.40738704	0	0.0015978	0.00219841	0.00340472	0.00230138	0.09983388	0	0	0.12138529	0.04965136	0.03356974	#¡DIV/0!	0



	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
17/03/2018	94.7136	0	0.1721	0.1416	-0.0061	0.3137	5.3861	271.764	3.85984197	40.0153784	51.6284348	0.05946909	0.03350311	0
17/03/2018	93.5494		0.1741	0.1355	-0.0032	0.3096	5.4391			40.1214333	51.6879038	0.12595488		
17/03/2018	93.3039		0.1756	0.1323	0.0032	0.3079	5.2572			40.3604901	51.8138587	0.12871311		
17/03/2018	92.7318		0.1752	0.1355	0.0068	0.3107	5.4495			40.5957104	51.9425718	-0.06353311		
17/03/2018	93.0984		0.1762	0.1423	-0.0011	0.3185	5.2215			40.4164185	51.8790387	-0.04756449		
17/03/2018	93.2531		0.1761	0.1412	-0.0091	0.3173	5.2177			40.3152368	51.8314742	-0.16778047		
17/03/2018	94.2139		0.1755	0.1321	0.0008	0.3076	5.2429			40.0962353	51.6636938	-0.04111103		
17/03/2018	94.4224		0.1746	0.1329	-0.0003	0.3075	5.4069			40.0824139	51.6225827	-0.0293003		
17/03/2018	94.3548		0.1755	0.1326	-0.0003	0.3081	5.4045			39.9623354	51.5932824	-0.00644441		
17/03/2018	94.6196		0.1791	0.1323	-0.0021	0.3114	5.4059			39.9115334	51.586838	-0.09229815		
17/03/2018	94.1058		0.1766	0.1302	0.0157	0.3068	5.3593			39.7959431	51.4945399	0.06095943		
17/03/2018	94.6567		0.1762	0.1459	-0.0058	0.3221	5.3637			39.8000895	51.5554993	0.05438528		
17/03/2018	94.3285		0.1754	0.1401	-0.0108	0.3155	5.4583			39.9214981	51.6098846	-0.05665897		
17/03/2018	94.5471		0.1754	0.1293	-0.004	0.3047	5.4972			39.8751694	51.5532256	-0.042876		
17/03/2018	94.4136		0.1737	0.1253	0.0052	0.299	5.4407			39.7857202	51.5103496	0.02971487		
17/03/2018	94.2739		0.1755	0.1305	0.0034	0.306	5.4189			39.7703659	51.5400645	0.04917436		
17/03/2018	94.1229		0.1765	0.1339	-0.0021	0.3104	5.4157			39.8683182	51.5892388	-0.04546251		
17/03/2018	94.3144		0.1735	0.1318	0.0005	0.3053	5.2979			39.9362015	51.5437763	-0.0362724		
17/03/2018	94.1601		0.1768	0.1323	-0.0012	0.3091	5.3337			39.8360069	51.5075039	-0.00883006		
17/03/2018	94.0623		0.1745	0.1311	0.0002	0.3056	5.3288			39.8882843	51.4986739	0.01407918		
17/03/2018	93.9911		0.1792	0.1313	0.005	0.3105	5.4102			39.8460892	51.512753	0.07640824		
17/03/2018	93.4448		0.1799	0.1363	-0.0011	0.3162	5.3012			40.0179401	51.5891613	-0.00668115		
17/03/2018	93.4304		0.1736	0.1352	-0.0054	0.3088	5.3341			40.0317142	51.5824801	0.01798052		
17/03/2018	93.3475		0.1726	0.1298	-0.0045	0.3024	5.3521			40.0876939	51.6004606	-0.10592078		
Mínimo	92.7318	0	0.1721	0.1253	-0.0108	0.299	5.2177	271.764	3.85984197	39.7703659	51.4945399	-0.16778047	0.03350311	0
Promedio	93.9775	0	0.17555833	0.13422083	-0.00067917	0.30977917	5.36429583	271.764	3.85984197	40.0140925	51.6223871	-0.00557895	0.03350311	0
Máximo	94.7136	0	0.1799	0.1459	0.0157	0.3221	5.4972	271.764	3.85984197	40.5957104	51.9425718	0.12871311	0.03350311	0
Desv. Est.	0.55932658	0	0.00193231	0.00486996	0.0055765	0.00532835	0.07754975	0	0	0.21755601	0.12388278	0.07128848	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
18/03/2018	93.1077	0	0.1748	0.1319	0.0069	0.3067	5.605	271.871	4.04535733	40.243276	51.6576266	0.12639688	0	0
18/03/2018	92.4843		0.1729	0.1388	-0.007	0.3117	5.1273			40.3803601	51.7840235	-0.16669833		
18/03/2018	92.3956		0.1791	0.1318	0.0027	0.3109	5.2847			40.4542081	51.6173251	0.26640153		
18/03/2018	92.4733		0.1743	0.1345	-0.0026	0.3088	5.3991			40.4157771	51.8837267	-0.07481181		
18/03/2018	92.6739		0.1723	0.1319	0.0095	0.3042	5.3981			40.4276126	51.8089149	0.04225708		
18/03/2018	92.7232		0.1747	0.1414	0.0003	0.3161	5.4546			40.4395236	51.8511719	-0.19402578		
18/03/2018	93.3386		0.1736	0.1417	0.0017	0.3153	5.2949			40.1443866	51.6571461	-0.15124103		
18/03/2018	94.1021		0.1749	0.1434	-0.007	0.3183	5.4114			39.9134186	51.5059051	0.06478994		
18/03/2018	93.3468		0.1759	0.1364	0.0008	0.3123	5.2648			40.0508927	51.5706951	0.02253286		
18/03/2018	93.7312		0.1757	0.1372	0.0022	0.3129	5.4189			40.0536307	51.5932279	-0.00053349		
18/03/2018	94.0768		0.1724	0.1394	-0.0009	0.3118	5.5156			39.9010291	51.5926944	-0.11557679		
18/03/2018	93.9062		0.1753	0.1385	-0.005	0.3138	5.3644			39.9846035	51.4771176	0.06061978		
18/03/2018	93.4893		0.1749	0.1335	0.0064	0.3084	5.1541			40.0787909	51.5377374	-0.02058482		
18/03/2018	93.5147		0.1751	0.1399	-0.0051	0.315	5.1807			40.0403101	51.5171526	0.19921746		
18/03/2018	93.5872		0.1709	0.1348	0.0015	0.3057	5.3274			40.1829078	51.7163701	0.0185668		
18/03/2018	93.6267		0.1775	0.1363	1E-04	0.3138	5.2932			40.1249651	51.7349369	-0.05025917		
18/03/2018	93.6702		0.1751	0.1364	-0.0002	0.3115	5.3834			40.1836663	51.6846777	-0.07480424		
18/03/2018	93.6316		0.1783	0.1362	-0.0008	0.3145	5.2974			40.5983456	51.6098735	0.01699134		
18/03/2018	93.8623		0.1739	0.1354	0.0017	0.3093	5.3175			40.2394674	51.6268648	0.10788489		
18/03/2018	92.9758		0.1737	0.1371	-0.0003	0.3108	5.3697			40.3074148	51.7347497	0.01273024		
18/03/2018	92.9595		0.1795	0.1368	0	0.3163	5.3531			40.3984588	51.7474799	-0.01782921		
18/03/2018	92.9903		0.1733	0.1368	0.0003	0.3101	5.4327			40.3160026	51.7296507	-0.06047984		
18/03/2018	92.9639		0.1776	0.1371	0.0005	0.3147	5.4357			40.2354706	51.6691709	0.03781462		
18/03/2018	93.2189		0.1782	0.1376	-0.0058	0.3158	5.3338			40.3640121	51.7069855	-0.22986785		
Mínimo	92.3956	0	0.1709	0.1318	-0.007	0.3042	5.1273	271.871	4.04535733	39.9010291	51.4771176	-0.22986785	0	0
Promedio	93.2854208	0	0.1751625	0.13686667	-4.1667E-06	0.31202917	5.35072917	271.871	4.04535733	40.2282721	51.667301	-0.00752121	0	0
Máximo	94.1021	0	0.1795	0.1434	0.0095	0.3183	5.605	271.871	4.04535733	40.5983456	51.8837267	0.26640153	0	0
Desv. Est.	0.51066992	0	0.00224225	0.00301412	0.00412337	0.00358723	0.1086556	0	0	0.18643039	0.10786827	0.11830872	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
19/03/2018	93.6291	0	0.1764	0.1328	-0.0009	0.3092	5.4589	271.744	4.38320906	40.2644263	51.6916169	0.00236029	0.03882425	0
19/03/2018	93.2931		0.1741	0.1319	0.0007	0.306	5.2129			40.2615477	51.6939771	0.02897465		
19/03/2018	93.6433		0.1757	0.1326	0.0005	0.3083	5.3325			40.3539221	51.7229518	0.016424		
19/03/2018	92.9825		0.1745	0.1331	0.0006	0.3076	5.5823			40.3984511	51.7393758	0.00169267		
19/03/2018	92.9942		0.1722	0.1337	0.0002	0.3059	5.3487			40.3360047	51.7410685	-0.133041		
19/03/2018	92.9995		0.1731	0.1339	0.0022	0.307	5.3777			40.2740706	51.6080275	0.06059123		
19/03/2018	93.0557		0.1761	0.1361	1E-04	0.3122	5.2661			40.2420878	51.6686187	0.11098681		
19/03/2018	93.5635		0.1812	0.1362	-0.0008	0.3174	5.3716			40.3833086	51.7796055	-0.03837614		
19/03/2018	93.4936		0.1787	0.1354	0.0017	0.3141	5.1136			40.3378174	51.7412294	-0.03682977		
19/03/2018	93.4743		0.1756	0.1371	-0.0024	0.3127	5.2873			40.2099798	51.7043996	0.00515256		
19/03/2018	93.4766		0.1711	0.1347	-0.0015	0.3058	5.2539			40.2203123	51.7095522	0.05950556		
19/03/2018	93.5637		0.1765	0.1332	0.0003	0.3097	5.4243			40.2165575	51.7690577	0.00756888		
19/03/2018	93.6853		0.1799	0.1335	0.0038	0.3134	5.1695			40.1473666	51.7766266	-0.04793096		
19/03/2018	93.7254		0.1799	0.1373	-0.0045	0.3172	5.5388			40.1586844	51.7286956	0.05175756		
19/03/2018	93.8316		0.1705	0.1328	0.0036	0.3033	5.4761			40.1183713	51.7804532	-0.07891653		
19/03/2018	93.8863		0.1798	0.1364	-0.0032	0.3162	5.2934			40.1200998	51.7015367	-0.00941977		
19/03/2018	94.0126		0.1704	0.1332	-0.0005	0.3036	5.1863			40.0693366	51.6921169	-0.048796		
19/03/2018	94.1482		0.1795	0.1327	-0.0008	0.3122	5.1953			39.9379867	51.6433209	-0.04325764		
19/03/2018	93.9869		0.1713	0.1319	0.0019	0.3032	5.2141			40.0640459	51.6000633	0.07270867		
19/03/2018	94.0164		0.1723	0.1338	-0.0023	0.3061	5.2158			40.0497127	51.6727719	0.02005133		
19/03/2018	94.3329		0.1765	0.1315	0.0036	0.308	5.2962			39.9689639	51.6928233	-0.03368765		
19/03/2018	94.3226		0.1786	0.1351	0.0011	0.3137	5.3131			39.9705482	51.6591356	-0.02479287		
19/03/2018	94.2695		0.1768	0.1362	-0.0025	0.313	5.2972			40.0652532	51.6343427	0.04692284		
19/03/2018	94.3421		0.1736	0.1337	-0.0022	0.3073	5.2712			39.9379731	51.6812656	-0.08120232		
Mínimo	92.9825	0	0.1704	0.1315	-0.0045	0.3032	5.1136	271.744	4.38320906	39.9379731	51.6000633	-0.133041	0.03882425	0
Promedio	93.6970375	0	0.17559583	0.13411667	-5.4167E-05	0.3097125	5.31236667	271.744	4.38320906	40.1711178	51.7013597	-0.00381473	0.03882425	0
Máximo	94.3421	0	0.1812	0.1373	0.0038	0.3174	5.5823	271.744	4.38320906	40.3984511	51.7804532	0.11098681	0.03882425	0
Desv. Est.	0.43397887	0	0.00330816	0.0017176	0.0021998	0.0043664	0.1182432	0	0	0.14253747	0.0509659	0.0562179	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ - 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ - .5	6,00	150,00
20/03/2018	94.3869	0	0.1791	0.1665	-0.0034	0.3456	4.8383	271.764	4.0207567	39.9719522	51.5936588	0.03964227	0.06854561	0
20/03/2018	94.4138		0.1811	0.1631	-0.0007	0.3442	4.6324			40.0589063	51.6333011	0.02342934		
20/03/2018	94.5138		0.0817	0.1624	0.0082	0.2441	5.0645			40.0907917	51.6567304	0.04053875		
20/03/2018	93.2157		0.1566	0.1706	0.0045	0.3272	4.6995			40.1841893	51.6972692	0.05341264		
20/03/2018	93.1303		0.1577	0.1751	-0.0018	0.3328	4.7592			40.2909146	51.7506818	-0.06442602		
20/03/2018	94.716		0.1504	0.1733	-0.0805	0.3237	4.7843			40.1665255	51.6862558	-0.02015742		
20/03/2018	94.678		0.1428	0.0928	0.0034	0.2356	5.1385			40.1071586	51.6660984	0.01037375		
20/03/2018	94.7201		0.1272	0.0962	0.0039	0.2234	5.4618			40.1379345	51.6764721	0.03440831		
20/03/2018	94.3982		0.1014	0.1001	0.0525	0.2015	5.1285			40.2026025	51.7108804	0.03625918		
20/03/2018	93.7167		0.0987	0.1526	0.0059	0.2513	5.0887			40.1991109	51.7471396	0.00873279		
20/03/2018	94.453		0.0854	0.1585	-0.0044	0.2439	5.1433			40.2748957	51.7558724	-0.02268879		
20/03/2018	94.316		0.1136	0.1541	-0.0712	0.2677	5.1152			40.2544574	51.7331836	-0.01656953		
20/03/2018	93.806		0.1182	0.0829	0.0095	0.2011	5.3603			40.2231197	51.7166141	-0.01546019		
20/03/2018	92.911		0.1164	0.0924	-0.0001	0.2088	5.3171			40.1961387	51.7011539	-0.01813562		
20/03/2018	93.533		0.1766	0.0923	0.053	0.2689	5.4194			40.1495328	51.6830183	0.01423952		
20/03/2018	93.221		0.1703	0.1453	-0.0021	0.3156	5.2558			40.1568266	51.6972578	-0.0161902		
20/03/2018	93.9287		0.1717	0.1432	-0.0021	0.3149	5.2622			40.1594625	51.6810676	-0.11184509		
20/03/2018	93.7293		0.1164	0.1411	0.0268	0.2575	5.2692			39.8933673	51.5692225	-0.05690182		
20/03/2018	93.5074		0.1143	0.1679	-0.0046	0.2822	5.6658			39.7983077	51.5123207	-0.03768781		
20/03/2018	94.2791		0.1153	0.1633	0.0003	0.2786	5.6879			39.7095214	51.4746329	0.00999737		
20/03/2018	94.534		0.1774	0.1636	-0.0369	0.341	5.2055			39.7279298	51.4846302	0.00880965		
20/03/2018	93.7814		0.1748	0.1267	-0.0055	0.3015	5.4097			39.7461701	51.4934399	-0.03639076		
20/03/2018	93.7191		0.0834	0.1212	0.0133	0.2046	5.4124			39.6790283	51.4570491	0.00204863		
20/03/2018	93.6241		0.0883	0.1345	-0.0516	0.2228	5.5931			39.6767483	51.4590978	-0.00204863		
Mínimo	92.911	0	0.0817	0.0829	-0.0805	0.2011	4.6324	271.764	4.0207567	39.6767483	51.4570491	-0.11184509	0.06854561	0
Promedio	93.968025	0	0.13328333	0.13915417	-0.00348333	0.2724375	5.19635833	271.764	4.0207567	40.043983	51.634877	-0.00569207	0.06854561	0
Máximo	94.7201	0	0.1811	0.1751	0.053	0.3456	5.6879	271.764	4.0207567	40.2909146	51.7558724	0.05341264	0.06854561	0
Desv. Est.	0.55038322	0	0.03481952	0.03072717	0.030982	0.04953632	0.29391326	0	0	0.20923334	0.10151787	0.03820915	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
21/03/2018	93.7268	0	0.1702	0.1417	-0.0064	0.3119	5.3122	271.657	4.32246218	39.811296	51.5594604	0.12397243	0.15221246	0
21/03/2018	94.1167		0.1754	0.1353	0.0035	0.3107	5.2717			40.101008	51.6834328	0.06734291		
21/03/2018	93.3845		0.1711	0.1388	0.0019	0.3099	5.3837			40.324784	51.7507757	0.07260865		
21/03/2018	93.4645		0.1689	0.1407	0.0004	0.3096	5.4622			40.497968	51.8233844	0.04529079		
21/03/2018	93.2274		0.1745	0.1411	-0.0025	0.3156	5.5373			40.540488	51.8686752	0.0364237		
21/03/2018	93.5918		0.1689	0.1386	0.0016	0.3075	5.3189			40.674592	51.9050989	0.02446954		
21/03/2018	92.9379		0.1789	0.1402	0.002	0.3191	5.2091			40.669128	51.9295684	-0.04138813		
21/03/2018	93.0854		0.1799	0.1422	-0.0047	0.3221	5.1923			40.565828	51.8881803	-0.01799963		
21/03/2018	93.1372		0.1809	0.1375	-0.0018	0.3184	5.2705			40.508448	51.8701807	-0.01520713		
21/03/2018	93.1721		0.1811	0.1357	0.0009	0.3168	5.4105			40.563844	51.8549735	-0.02116964		
21/03/2018	93.3137		0.1749	0.1366	0.0037	0.3115	5.4259			40.439104	51.8338039	-0.00074517		
21/03/2018	93.2636		0.1791	0.1403	-0.0008	0.3194	5.4683			40.485096	51.8330587	-0.06666509		
21/03/2018	93.5933		0.1757	0.1395	-0.0083	0.3152	5.5132			40.325512	51.7663937	-0.06142239		
21/03/2018	93.8943		0.1741	0.1312	0.0069	0.3053	5.3542			40.236992	51.7049713	-0.02945161		
21/03/2018	94.0811		0.1677	0.1381	0.0037	0.3058	5.2389			40.125776	51.6755197	-0.02673496		
21/03/2018	94.2545		0.1737	0.1418	-0.0023	0.3155	5.124			40.045144	51.6487847	-0.00888132		
21/03/2018	94.2978		0.1705	0.1395	0.0042	0.31	5.1663			40.039592	51.6399034	-0.12941384		
21/03/2018	94.8977		0.1798	0.1437	-0.0069	0.3235	5.4172			39.791032	51.5104895	-0.08995711		
21/03/2018	95.1843		0.1721	0.1368	0.0026	0.3089	5.5203			39.615008	51.4205324	0.01872831		
21/03/2018	95.1519		0.1767	0.1394	-0.0036	0.3161	5.5192			39.669456	51.4392607	0.00140375		
21/03/2018	95.1019		0.1743	0.1358	0.0033	0.3101	5.5768			39.642368	51.4406645	0.01125244		
21/03/2018	95.1214		0.1729	0.1391	0.0012	0.312	5.3734			39.670216	51.4519169	0.00172561		
21/03/2018	95.1371		0.1764	0.1403	0.0059	0.3167	5.4708			39.679584	51.4536425	-0.00817265		
21/03/2018	95.1612		0.1732	0.1462	-0.015	0.3194	5.3971			39.662736	51.4454699	-0.02493746		
Mínimo	92.9379	0	0.1677	0.1312	-0.015	0.3053	5.124	271.657	4.32246218	39.615008	51.4205324	-0.12941384	0.15221246	0
Promedio	94.0124208	0	0.17462083	0.13917083	-0.0004375	0.31379167	5.37225	271.657	4.32246218	40.1535417	51.6832559	-0.00578867	0.15221246	0
Máximo	95.1843	0	0.1811	0.1462	0.0069	0.3235	5.5768	271.657	4.32246218	40.674592	51.9295684	0.12397243	0.15221246	0
Desv. Est.	0.80504917	0	0.00394891	0.00309916	0.00510011	0.005058	0.12763224	0	0	0.37814757	0.17764908	0.05395443	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variación maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variación Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
22/03/2018	94.4128	0	0.1538	0.1431	0.0056	0.2969	4.9968	271.661	3.4430165	40.0957002	51.6983327	-0.02802311	0.21769744	0
22/03/2018	94.2158		0.1691	0.1487	-0.0004	0.3178	4.876			40.1000454	51.6703096	-0.03673829		
22/03/2018	93.8194		0.1577	0.1483	-0.0038	0.306	4.9633			40.1702916	51.6335713	0.09624208		
22/03/2018	93.4798		0.1701	0.1445	-0.0059	0.3146	4.9875			40.2076096	51.7298134	0.03869972		
22/03/2018	93.3787		0.1688	0.1386	-0.0073	0.3074	4.9615			40.3179352	51.7685131	-0.00222793		
22/03/2018	92.9921		0.1706	0.1313	0.0122	0.3019	5.2812			40.4690035	51.7662852	-0.04821084		
22/03/2018	92.8383		0.1713	0.1435	0.001	0.3148	5.3536			40.4497546	51.7180744	0.07340544		
22/03/2018	92.7675		0.1771	0.1445	-0.0052	0.3216	5.3181			40.5464306	51.7914798	-0.0339214		
22/03/2018	93.6537		0.1719	0.1393	-0.0015	0.3112	5.2855			40.4704346	51.7575584	-0.13310964		
22/03/2018	93.1481		0.1751	0.1378	-0.0051	0.3129	4.9694			40.2633784	51.6244488	0.00715983		
22/03/2018	93.4879		0.1743	0.1327	0.005	0.307	4.8927			40.2964478	51.6316086	-0.02619882		
22/03/2018	93.7617		0.1748	0.1377	-0.0053	0.3125	5.1824			40.1163922	51.6054098	-0.01607562		
22/03/2018	93.8939		0.1737	0.1324	0.0248	0.3061	5.3554			40.0776526	51.5893342	-0.05790383		
22/03/2018	93.5213		0.1626	0.1572	0.0013	0.3198	5.1747			39.8414586	51.5314303	-0.08938366		
22/03/2018	93.0409		0.1352	0.1585	0.002	0.2937	5.2314			39.6839286	51.4420467	-0.0141643		
22/03/2018	93.0944		0.1452	0.1605	-0.0014	0.3057	5.1386			39.6031775	51.4278824	-0.00362409		
22/03/2018	93.1748		0.1635	0.1591	-0.002	0.3226	5.1359			39.6675184	51.4242583	-0.05491675		
22/03/2018	93.3616		0.1618	0.1571	0.0035	0.3189	5.4085			39.5166457	51.3693415	-0.05238883		
22/03/2018	93.2735		0.1723	0.1606	-0.0012	0.3329	5.1357			39.5051008	51.3169527	0.06407857		
22/03/2018	93.3327		0.1388	0.1594	-0.0008	0.2982	5.2885			39.5932512	51.3810313	0.02807585		
22/03/2018	93.2706		0.1688	0.1586	0	0.3274	5.4418			39.5804551	51.4091071	0.0017052		
22/03/2018	93.2459		0.1662	0.1586	0.0003	0.3248	5.4789			39.6724145	51.4108123	-0.11266665		
22/03/2018	93.4364		0.1745	0.1589	0.0004	0.3334	5.1693			39.5430518	51.2981457	0.2274137		
22/03/2018	93.1742		0.1946	0.1593	-0.028	0.3539	5.6053			39.8918307	51.5255594	-0.2274137		
Mínimo	92.7675	0	0.1352	0.1313	-0.028	0.2937	4.876	271.661	3.4430165	39.5051008	51.2981457	-0.2274137	0.21769744	0
Promedio	93.4073333	0	0.166325	0.14875833	-0.00049167	0.31508333	5.193	271.661	3.4430165	39.9866629	51.5633878	-0.01667446	0.21769744	0
Máximo	94.4128	0	0.1946	0.1606	0.0248	0.3539	5.6053	271.661	3.4430165	40.5464306	51.7914798	0.2274137	0.21769744	0
Desv. Est.	0.39932307	0	0.01292033	0.0104323	0.00887536	0.01351028	0.19705167	0	0	0.35188497	0.15797015	0.0865137	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ - 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ - .5	6,00	150,00
23/03/2018	92.3258	0	0.285	0.1419	-0.0056	0.4269	5.2414	271.622	3.43086712	40.5768647	51.7960983	0.1946444	0.13125	0
23/03/2018	92.7236		0.1752	0.1363	0.0064	0.3115	5.8367			40.9445805	51.9907427	-0.08837145		
23/03/2018	93.271		0.1744	0.1427	0.0059	0.3171	5.6497			40.8747321	51.9023713	-0.01619252		
23/03/2018	92.6593		0.1744	0.1486	0.0066	0.323	5.4245			40.7119706	51.8861788	-0.10970638		
23/03/2018	93.4285		0.1784	0.1552	-0.0324	0.3336	5.3716			40.6262991	51.7764724	-0.00979388		
23/03/2018	93.4324		0.1751	0.1228	0.019	0.2979	5.2582			40.6759974	51.7666785	-0.00134923		
23/03/2018	93.598		0.1754	0.1418	0.0114	0.3172	5.1242			40.5791024	51.7653293	0.01348036		
23/03/2018	92.8321		0.1874	0.1532	0.0004	0.3406	5.0322			40.5436231	51.7788096	0.03043963		
23/03/2018	93.6255		0.1849	0.1536	0.0027	0.3385	5.1408			40.6232637	51.8092492	-0.00587738		
23/03/2018	93.4715		0.1808	0.1563	0.0096	0.3371	5.1456			40.6224663	51.8033719	-0.07119849		
23/03/2018	93.5914		0.1801	0.1659	-0.0017	0.346	4.8927			40.5836475	51.7321734	0.00329991		
23/03/2018	93.4399		0.1812	0.1642	-0.0011	0.3454	4.7641			40.3096286	51.7354733	-0.00139836		
23/03/2018	93.6259		0.1866	0.1631	0.0053	0.3497	4.8129			40.3042076	51.7340749	-0.04346008		
23/03/2018	93.7867		0.1821	0.1684	-0.025	0.3505	4.7433			40.2572451	51.6906148	-0.03761026		
23/03/2018	93.9361		0.1819	0.1434	0.0025	0.3253	4.7431			40.1451461	51.6530046	-0.02094078		
23/03/2018	93.6541		0.1829	0.1459	-0.0057	0.3288	4.8657			40.1269689	51.6320638	-0.00626891		
23/03/2018	94.2091		0.1812	0.1402	0.0043	0.3214	4.9796			40.0945051	51.6257949	-0.09012883		
23/03/2018	94.2027		0.1874	0.1445	-0.003	0.3319	4.9039			40.0463798	51.5356661	-0.15906499		
23/03/2018	93.2822		0.1812	0.1415	0.0051	0.3227	5.2624			39.5199701	51.3766011	0.07191945		
23/03/2018	93.1024		0.1732	0.1466	-0.0028	0.3198	5.6285			39.6567798	51.4485205	0.01395702		
23/03/2018	93.0266		0.1788	0.1438	0.005	0.3226	5.3269			39.7195255	51.4624775	-0.07469401		
23/03/2018	93.3855		0.1747	0.1488	-0.0031	0.3235	5.6137			39.5553394	51.3877835	-0.00164543		
23/03/2018	93.1866		0.1813	0.1457	-0.0062	0.327	5.6181			39.6033493	51.3861381	-0.09292379		
23/03/2018	93.2404		0.1788	0.1395	-0.0167	0.3183	5.2658			39.5797818	51.2932143	0		
Mínimo	92.3258	0	0.1732	0.1228	-0.0324	0.2979	4.7431	271.622	3.43086712	39.5199701	51.2932143	-0.15906499	0.13125	0
Promedio	93.3765542	0	0.18426667	0.14807917	-0.00079583	0.33234583	5.19356667	271.622	3.43086712	40.2617239	51.6653709	-0.0209535	0.13125	0
Máximo	94.2091	0	0.285	0.1684	0.019	0.4269	5.8367	271.622	3.43086712	40.9445805	51.9907427	0.1946444	0.13125	0
Desv. Est.	0.45615939	0	0.02186816	0.01046883	0.01119982	0.02382934	0.32204925	0	0	0.45258405	0.18796208	0.06933506	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
24/03/2018	94.8444		0.1784	0.1654	-0.0241	0.3438	5.2133	272.531	2.46543857	39.7146214	51.4632318	0.02233988	0	0
24/03/2018	93.0112		0.1568	0.1413	0.0081	0.2981	5.3183			39.7794314	51.4855716	-0.00200286		
24/03/2018	93.0005		0.1521	0.1494	0.0079	0.3015	5.5436			39.7906712	51.4835688	-0.02474563		
24/03/2018	93.9825		0.1567	0.1573	-0.0075	0.314	5.5743			39.7238663	51.4588231	0.00422296		
24/03/2018	93.9648		0.1759	0.1498	-0.0025	0.3257	5.4849			39.7504991	51.4630461	-0.0201002		
24/03/2018	93.8375		0.1859	0.1473	0.0005	0.3332	5.4494			39.7783993	51.4429459	-0.02468135		
24/03/2018	93.7287		0.1726	0.1478	-0.0005	0.3204	5.4613			39.7502182	51.4182645	0.02392963		
24/03/2018	93.7075		0.1895	0.1473	0	0.3368	5.3498			39.7772576	51.4421942	-0.03677678		
24/03/2018	93.7656		0.1804	0.1473	-0.0002	0.3277	5.2684			39.7051024	51.4054174	-0.08901659		
24/03/2018	93.7897		0.1834	0.1471	0.0003	0.3305	5.2713			39.6216525	51.3164008	-0.00281537		
24/03/2018	93.8919		0.1857	0.1474	-0.0002	0.3331	5.3846			39.6399472	51.3135854	0.17316836		
24/03/2018	93.6635		0.1651	0.1472	0	0.3123	5.5626			39.8345593	51.4867538	-0.00508644		
24/03/2018	93.6796		0.1764	0.1472	0.0003	0.3236	5.5586			39.7573201	51.4816674	-0.04687762		
24/03/2018	93.8787		0.1735	0.1475	-1E-04	0.321	5.3744			39.7751921	51.4347897	-0.00358853		
24/03/2018	93.9032		0.1716	0.1474	-0.0001	0.319	5.2899			39.6155909	51.4312012	0.04159294		
24/03/2018	93.8635		0.1772	0.1473	-0.0002	0.3245	5.4135			39.7260644	51.4727942	-0.02137955		
24/03/2018	93.8792		0.1596	0.1471	-0.0002	0.3067	5.5376			39.7746291	51.4514146	0.00236903		
24/03/2018	93.9127		0.1671	0.1469	0.0103	0.314	5.5403			39.7182428	51.4537836	0.02588005		
24/03/2018	93.8064		0.1775	0.1572	-0.0001	0.3347	5.3809			39.8474338	51.4796637	-0.00837387		
24/03/2018	93.8732		0.1755	0.1571	-0.0105	0.3326	5.5391			39.7005114	51.4712898	0.00018687		
24/03/2018	93.9591		0.1597	0.1466	0.0002	0.3063	5.4851			39.7032567	51.4714767	0.02253286		
24/03/2018	93.9109		0.1545	0.1468	0.0004	0.3013	5.3186			39.8304294	51.4940096	0.02974169		
24/03/2018	93.8252		0.1594	0.1472	-0.0013	0.3066	5.5437			39.8089671	51.5237513	-0.10114049		
24/03/2018	93.9195		0.1558	0.1459	-0.0046	0.3017	5.5661			39.7403473	51.4226108	-0.10902533		
Mínimo	93.0005	0	0.1521	0.1413	-0.0241	0.2981	5.2133	272.531	2.46543857	39.6155909	51.3135854	-0.10902533	0	0
Promedio	93.816625	#¡DIV/0!	0.17042917	0.14911667	-0.00100417	0.31954583	5.43456667	272.531	2.46543857	39.7443421	51.4486773	-0.00623526	0	0
Máximo	94.8444	0	0.1895	0.1654	0.0103	0.3438	5.5743	272.531	2.46543857	39.8474338	51.5237513	0.17316836	0	0
Desv. Est.	0.33373348	0	0.011309	0.00507506	0.0065521	0.01316071	0.11399712	0	0	0.06188907	0.04922506	0.05506311	0	0



	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
25/03/2018	93.5637	0	0.0987	0.1481	-0.0017	0.2468	5.2334	272.641	4.0988157	39.8015755	51.5051565	0.00667211	0	0
25/03/2018	93.6853		0.0854	0.1464	0.0047	0.2318	5.4118			39.8046966	51.5118286	-0.00238039		
25/03/2018	93.7254		0.1136	0.1511	-0.014	0.2647	5.4364			39.8455072	51.5094482	-0.03059356		
25/03/2018	94.1274		0.1182	0.1371	0.0046	0.2553	5.4574			39.8137068	51.4788546	-1.7783E-05		
25/03/2018	94.2322		0.1762	0.1417	-0.0064	0.3179	5.4466			39.8580556	51.4788368	-0.00602869		
25/03/2018	94.1211		0.1782	0.1353	0.0035	0.3135	5.4925			39.7473738	51.4728081	-0.01979767		
25/03/2018	93.147		0.1776	0.1388	0.0019	0.3164	5.4137			39.7459162	51.4530105	0.01675986		
25/03/2018	92.742		0.1764	0.1407	0.0004	0.3171	5.4778			39.7546374	51.4697703	-0.01869275		
25/03/2018	92.342		0.1779	0.1411	-0.0025	0.319	5.6184			39.7079265	51.4510776	0.05563918		
25/03/2018	94.433		0.1787	0.1386	0.0016	0.3173	5.4714			39.9654173	51.5067168	-0.00934754		
25/03/2018	94.873		0.1702	0.1402	0.002	0.3104	5.3469			39.8604808	51.4973692	-0.05080958		
25/03/2018	94.878		0.1796	0.1422	0.005	0.3218	5.3616			39.7425058	51.4465596	-0.00482581		
25/03/2018	94.678		0.0983	0.1472	-0.0008	0.2455	5.5846			39.7132449	51.4417338	-0.01115448		
25/03/2018	94.612		0.094	0.1464	0.0017	0.2404	5.3985			39.7761782	51.4305794	0.0620454		
25/03/2018	94.691		0.0834	0.1481	-0.0017	0.2315	5.2929			39.8243601	51.4926248	0.0190041		
25/03/2018	94.9144		0.0841	0.1464	-0.0126	0.2305	5.4356			39.8273397	51.5116289	-0.01986501		
25/03/2018	94.9281		0.0889	0.1338	0.0146	0.2227	5.3766			39.7811802	51.4917639	0.06335907		
25/03/2018	94.9742		0.0832	0.1484	-0.0113	0.2316	5.4983			39.8878291	51.5551229	0.01986239		
25/03/2018	94.6825		0.1428	0.1371	-0.0046	0.2799	5.3809			39.9569715	51.5749853	0.08448739		
25/03/2018	94.8086		0.1431	0.1325	0.0048	0.2756	5.3919			39.9807673	51.6594727	-0.07197502		
25/03/2018	94.7325		0.1554	0.1373	-0.0052	0.2927	5.4851			39.9527538	51.5874977	-0.01486455		
25/03/2018	94.2129		0.1704	0.1321	0.0034	0.3025	5.4286			39.9278494	51.5726331	-0.00697093		
25/03/2018	94.3108		0.1707	0.1355	0.0073	0.3062	5.4376			39.9126439	51.5656622	-0.01063902		
25/03/2018	94.3043		0.1736	0.1428	-0.0107	0.3164	5.5622			39.8918569	51.5550232	-0.12444382		
Mínimo	92.342	0	0.0832	0.1321	-0.014	0.2227	5.2334	272.641	4.0988157	39.7079265	51.4305794	-0.12444382	0	0
Promedio	94.2383083	0	0.138275	0.14120417	-0.00066667	0.27947917	5.43502917	272.641	4.0988157	39.8366989	51.5091735	-0.00310738	0	0
Máximo	94.9742	0	0.1796	0.1511	0.0146	0.3218	5.6184	272.641	4.0988157	39.9807673	51.6594727	0.08448739	0	0
Desv. Est.	0.71369399	0	0.03955253	0.00555279	0.00686159	0.03670798	0.08606498	0	0	0.08327844	0.0556107	0.04419682	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ - 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ - .5	6,00	150,00
26/03/2018	94.2181	0	0.0834	0.1439	-0.0198	0.2273	5.0132	272.541	3.55516699	39.641864	51.3269396	-0.02343489	0.16353337	0
26/03/2018	94.3238		0.0811	0.1241	0.003	0.2052	4.8914			39.502464	51.3035047	0.21055424		
26/03/2018	94.2694		0.0921	0.1271	0.0412	0.2192	4.9145			39.841336	51.5140589	-0.10584282		
26/03/2018	94.4217		0.1367	0.1683	-0.0052	0.305	4.8033			39.828076	51.4082161	0.10518038		
26/03/2018	94.1413		0.1344	0.1631	0.0032	0.2975	4.8661			39.812592	51.5133965	-0.07165912		
26/03/2018	94.1448		0.1265	0.1663	-0.0082	0.2928	4.8679			39.767872	51.4417373	0.00270079		
26/03/2018	94.0629		0.1652	0.1581	-0.0008	0.3233	5.1931			39.731992	51.4444381	0.03526859		
26/03/2018	92.454		0.1682	0.1573	0.0039	0.3255	5.3173			39.828456	51.4797067	-0.00970782		
26/03/2018	91.937		0.1654	0.1612	-0.0294	0.3266	5.1156			39.827048	51.4699989	-0.04823357		
26/03/2018	92.911		0.1748	0.1318	0.0008	0.3066	5.1989			39.834436	51.4217653	0.05593248		
26/03/2018	93.533		0.1719	0.1326	0.0079	0.3045	5.1592			39.790104	51.4776978	-0.07389229		
26/03/2018	93.7124		0.1747	0.1405	0.0054	0.3152	5.1969			39.799696	51.4038055	0.02768841		
26/03/2018	93.7342		0.1704	0.1459	-0.0058	0.3163	5.1442			39.751368	51.4314939	0.00491356		
26/03/2018	93.9344		0.1635	0.1401	-0.0108	0.3036	5.5621			39.791712	51.4364075	0.05961166		
26/03/2018	94.691		0.1706	0.1293	0.0071	0.2999	5.6081			39.752616	51.4960191	-0.00024022		
26/03/2018	94.419		0.1425	0.1364	0.0008	0.2789	5.6804			39.644848	51.4957789	-0.06501677		
26/03/2018	94.768		0.1359	0.1372	0.0022	0.2731	5.6911			39.755792	51.4307621	0.08500975		
26/03/2018	94.848		0.1428	0.1394	0.022	0.2822	5.6221			39.828536	51.5157719	0.03794698		
26/03/2018	93.3607		0.1786	0.1614	0.0005	0.34	5.6392			39.944192	51.5537189	-0.15215821		
26/03/2018	93.8784		0.1738	0.1619	-0.0007	0.3357	5.6347			39.947466	51.4015607	-0.17239899		
26/03/2018	93.6913		0.1797	0.1612	-0.028	0.3409	5.6173			39.750412	51.2291617	0.20172703		
26/03/2018	93.7043		0.1678	0.1332	0.0003	0.301	5.6805			39.731808	51.4308887	0.01969213		
26/03/2018	93.6736		0.1755	0.1335	0.0038	0.309	5.1653			39.759896	51.4505808	0.04001399		
26/03/2018	93.4818		0.1746	0.1373	-0.0132	0.3119	5.4346			39.740464	51.4905948	-0.26143315		
Mínimo	91.937	0	0.0811	0.1241	-0.0294	0.2052	4.8033	272.541	3.55516699	39.502464	51.2291617	-0.26143315	0.16353337	0
Promedio	93.8464208	0	0.1520875	0.1454625	-0.000825	0.29755	5.292375	272.541	3.55516699	39.7752103	51.4403335	-0.00407408	0.16353337	0
Máximo	94.848	0	0.1797	0.1683	0.0412	0.3409	5.6911	272.541	3.55516699	39.947466	51.5537189	0.21055424	0.16353337	0
Desv. Est.	0.69258992	0	0.03027101	0.0141365	0.01448052	0.03579579	0.30946154	0	0	0.09237053	0.07302009	0.10739741	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
27/03/2018	93.4814	0	0.0851	0.1289	0.0127	0.214	4.6963	272.421	3.78040185	39.7416999	51.4711708	-0.13977659	0.04118187	0
27/03/2018	93.7233		0.0912	0.1416	-0.009	0.2328	4.6762			39.6555674	51.3313942	0.04784291		
27/03/2018	93.7441		0.0931	0.1326	0.0005	0.2257	4.7148			39.7058375	51.3792371	0.03270049		
27/03/2018	94.8123		0.0931	0.1331	0.0112	0.2262	4.8171			39.8105119	51.4119376	0.01878283		
27/03/2018	94.6944		0.1623	0.1443	0.0011	0.3066	4.8033			39.8547789	51.4307205	0.02269352		
27/03/2018	94.5437		0.1652	0.1454	-0.0101	0.3106	4.8661			39.8226261	51.453414	-0.0945191		
27/03/2018	94.0927		0.1682	0.1353	-0.001	0.3035	4.9781			39.8629525	51.3588949	0.04096907		
27/03/2018	94.5354		0.1757	0.1343	0.0102	0.31	4.9875			39.8372018	51.3998639	0.19424327		
27/03/2018	94.6141		0.1734	0.1445	-0.003	0.3179	4.9756			39.9723862	51.5941072	-0.0354427		
27/03/2018	93.6316		0.1708	0.1415	0.0051	0.3123	5.0887			39.9973919	51.5586645	-0.07099908		
27/03/2018	93.8623		0.2034	0.1466	-0.0028	0.35	5.1433			39.9447911	51.4876654	0.0310154		
27/03/2018	92.9758		0.1684	0.1438	-0.017	0.3122	5.1152			39.9441866	51.5186808	-0.00326813		
27/03/2018	94.5861		0.1615	0.1268	-1E-04	0.2883	5.5621			39.9465669	51.5154127	0.00183261		
27/03/2018	94.6299		0.1757	0.1267	-0.0055	0.3024	5.6081			39.9257118	51.5172453	0.03093381		
27/03/2018	94.3784		0.1724	0.1212	0.0452	0.2936	5.6804			39.8653066	51.5481791	-0.09748462		
27/03/2018	93.3616		0.1753	0.1664	-0.0021	0.3417	5.4451			39.8847645	51.4506945	-0.03734352		
27/03/2018	93.2735		0.1745	0.1643	0.0002	0.3388	5.5266			39.7810512	51.413351	0.04206585		
27/03/2018	93.3327		0.1792	0.1645	-0.0073	0.3437	5.5351			39.6198375	51.4554168	-0.1036296		
27/03/2018	94.2027		0.1799	0.1572	0.0052	0.3371	5.3337			39.4324057	51.3517872	-0.00326813		
27/03/2018	93.2822		0.1136	0.1624	-0.0036	0.276	5.3288			39.4801961	51.3485191	0.03641117		
27/03/2018	93.1024		0.1182	0.1588	0.0011	0.277	5.4102			39.5220344	51.3849303	-0.12989588		
27/03/2018	93.4798		0.1164	0.1599	0.4219	0.2763	5.2539			39.4013222	51.2550344	0.12937755		
27/03/2018	93.3787		0.1732	0.5818	-0.4197	0.755	5.4243			39.4756864	51.3844119	-0.05248128		
27/03/2018	92.9921		0.1789	0.1621	-0.0409	0.341	5.1695			39.5332584	51.3319307	-0.07689627		
Mínimo	92.9758	0	0.0851	0.1212	-0.4197	0.214	4.6762	272.421	3.78040185	39.4013222	51.2550344	-0.13977659	0.04118187	0
Promedio	93.8629667	0	0.1528625	0.1635	-0.00032083	0.3163625	5.1725	272.421	3.78040185	39.7507531	51.431361	-0.00900568	0.04118187	0
Máximo	94.8123	0	0.2034	0.5818	0.4219	0.755	5.6804	272.421	3.78040185	39.9973919	51.5941072	0.19424327	0.04118187	0
Desv. Est.	0.61050925	0	0.03527069	0.09016213	0.12491708	0.10149505	0.31406462	0	0	0.1894864	0.08412886	0.07951251	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
28/03/2018	94.3063	0	0.1548	0.1341	0.0122	0.2889	5.3476	271.708	3.49968235	39.4529842	51.2817546	-0.01548934	0.00770662	0
28/03/2018	94.2334		0.1624	0.1463	-0.0039	0.3087	5.2287			39.4511615	51.2662653	0.02612255		
28/03/2018	93.1972		0.1668	0.1424	0.0007	0.3092	5.3248			39.4462159	51.2923878	0.05645285		
28/03/2018	93.8007		0.1795	0.1431	0.0046	0.3226	5.4525			39.5354957	51.3488407	0.02715897		
28/03/2018	93.7814		0.1722	0.1477	0.0239	0.3199	5.5482			39.5055623	51.3759996	0.02345091		
28/03/2018	93.7191		0.1733	0.1716	-0.0218	0.3449	5.3981			39.5548234	51.3994505	-0.08825192		
28/03/2018	93.3088		0.1724	0.1498	0.0243	0.3222	5.4789			39.5923201	51.3111986	-0.02024401		
28/03/2018	93.2651		0.1722	0.1741	-0.0282	0.3463	5.4883			39.5644906	51.2909546	0.17333861		
28/03/2018	93.3573		0.1739	0.1459	0.0034	0.3198	5.4682			39.7711568	51.4642932	0.09757525		
28/03/2018	93.8254		0.1743	0.1493	-0.0037	0.3236	5.3989			40.0696574	51.5618685	0.0528031		
28/03/2018	94.6298		0.1719	0.1456	-0.002	0.3175	5.4912			40.2009995	51.6146716	-0.01307833		
28/03/2018	94.7969		0.1785	0.1436	0.0035	0.3221	5.2969			40.1595913	51.6015933	-0.08822307		
28/03/2018	94.4283		0.1782	0.1471	-0.0022	0.3253	5.2462			40.0861841	51.5133702	0.0105344		
28/03/2018	94.3774		0.1761	0.1449	0.0065	0.321	5.1275			39.9107514	51.5239046	-0.00598408		
28/03/2018	94.7834		0.1791	0.1514	0.0013	0.3305	5.3318			39.9314551	51.5179205	0.00508558		
28/03/2018	93.8623		0.1774	0.1527	-0.0046	0.3301	5.3622			39.8585878	51.5230061	-0.07654995		
28/03/2018	92.9758		0.1764	0.1481	-0.0008	0.3245	5.4188			39.8492291	51.4464561	0.13913646		
28/03/2018	92.9595		0.1731	0.1473	0.0008	0.3204	5.4103			39.8787444	51.5855926	-0.07265386		
28/03/2018	94.0164		0.1762	0.1481	-0.00056	0.3243	5.4188			39.8419828	51.5129387	0.07420482		
28/03/2018	94.3329		0.1739	0.14754	0.00156	0.32144	5.3699			39.9097265	51.5871436	-0.05734003		
28/03/2018	94.3226		0.1745	0.1491	-0.0068	0.3236	5.3717			39.9628203	51.5298035	-0.01707624		
28/03/2018	94.5232		0.1721	0.1423	0.0009	0.3144	5.4943			40.0622731	51.5127273	0.02767884		
28/03/2018	94.3975		0.1758	0.1432	0.0015	0.319	5.3279			39.9681314	51.5404061	-0.00481909		
28/03/2018	94.4245		0.1772	0.1447	-0.0106	0.3219	5.4451			39.9847603	51.535587	-0.26932179		
Mínimo	92.9595	0	0.1548	0.1341	-0.0282	0.2889	5.1275	271.708	3.49968235	39.4462159	51.2662653	-0.26932179	0.00770662	0
Promedio	93.9843833	0	0.173425	0.14833083	0	0.32175583	5.38528333	271.708	3.49968235	39.814546	51.4640889	-0.00064539	0.00770662	0
Máximo	94.7969	0	0.1795	0.1741	0.0243	0.3463	5.5482	271.708	3.49968235	40.2009995	51.6146716	0.17333861	0.00770662	0
Desv. Est.	0.56582775	0	0.00551687	0.00842869	0.01121917	0.01106458	0.09725064	0	0	0.24103213	0.11309375	0.08771848	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variacion maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variacion Maxima diaria %	Acido Sulfhidrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
29/03/2018	94.3358	0	0.1651	0.1459	0.0115	0.311	5.4352	271.674	3.16067789	40.0049325	51.5544515	0.04836796	0.1635337	0
29/03/2018	94.4258		0.1615	0.1574	-0.0012	0.3189	5.6425			40.0904554	51.6028195	-0.04002757		
29/03/2018	94.5351		0.1596	0.1562	-0.0016	0.3158	5.5126			40.1538736	51.5627919	0.1030823		
29/03/2018	93.3621		0.1598	0.1546	-0.0023	0.3144	5.4219			40.1041284	51.6658742	0.01833937		
29/03/2018	93.4513		0.1522	0.1523	-0.0002	0.3045	5.2145			40.2472797	51.6842136	0.03360222		
29/03/2018	94.3714		0.1583	0.1521	0.0045	0.3104	5.6161			40.2246374	51.7178158	0.00097072		
29/03/2018	94.5678		0.1544	0.1566	0.0085	0.311	5.5163			40.2025102	51.7187865	0.05114116		
29/03/2018	94.3687		0.1512	0.1651	0.0001	0.3163	5.4287			40.3808834	51.7699277	0.02466808		
29/03/2018	94.3982		0.1598	0.1652	1E-04	0.325	5.2362			40.3878135	51.7945958	-0.07394944		
29/03/2018	93.5161		0.1636	0.1653	-0.0092	0.3289	5.3373			40.2704568	51.7206463	-0.04517359		
29/03/2018	94.3451		0.1651	0.1561	-0.0013	0.3212	5.3927			40.1780586	51.6754727	-0.02288853		
29/03/2018	94.3164		0.1523	0.1548	-0.001	0.3071	5.3115			40.0603179	51.6525842	-0.07778137		
29/03/2018	93.4815		0.1522	0.1538	0.0031	0.306	5.3126			39.8296713	51.5748028	-0.11119091		
29/03/2018	92.6592		0.1511	0.1569	-0.0048	0.308	5.3129			39.7694045	51.4636119	-0.05284275		
29/03/2018	93.5547		0.1499	0.1521	0.0071	0.302	5.3254			39.6730409	51.4107692	0.03134252		
29/03/2018	93.5381		0.1574	0.1592	-0.0174	0.3166	5.4687			39.6887075	51.4421117	0.03000904		
29/03/2018	93.6528		0.1564	0.1418	0.0106	0.2982	5.3931			39.6194152	51.4721207	-0.01624617		
29/03/2018	93.5723		0.1531	0.1524	0.0002	0.3055	5.3928			39.6291726	51.4558745	-0.09714992		
29/03/2018	93.6278		0.1546	0.1526	0.0008	0.3072	5.3511			39.6066208	51.3587246	0.02341797		
29/03/2018	94.2751		0.1523	0.1534	0.0019	0.3057	5.4668			39.6264624	51.3821426	0.1126908		
29/03/2018	94.4534		0.1514	0.1553	-0.0005	0.3067	5.6865			39.6424422	51.4948334	-0.12431087		
29/03/2018	93.5781		0.1421	0.1548	0.0038	0.2969	5.5197			39.7081252	51.3705225	0.1291204		
29/03/2018	93.651		0.1428	0.1586	-0.0069	0.3014	5.3562			39.7921673	51.4996429	0.08441968		
29/03/2018	93.5962		0.1472	0.1517	-0.0099	0.2989	5.6469			39.8759443	51.5840626	-0.22533799		
Mínimo	92.6592	0	0.1421	0.1418	-0.0174	0.2969	5.2145	271.674	3.16067789	39.6066208	51.3587246	-0.22533799	0.1635337	0
Promedio	93.9014167	0	0.154725	0.155175	-0.00017083	0.3099	5.42909167	271.674	3.16067789	39.9486051	51.5678833	-0.00815529	0.1635337	0
Máximo	94.5678	0	0.1651	0.1653	0.0115	0.3289	5.6865	271.674	3.16067789	40.3878135	51.7945958	0.1291204	0.1635337	0
Desv. Est.	0.50766663	0	0.00619735	0.00537905	0.00653921	0.00837486	0.12832521	0	0	0.2694731	0.13265079	0.08386382	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variación máxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m <sup>3</sup>	Índice Wobbe Variación Máxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
30/03/2018	94.3673	0	0.1654	0.1453	-0.0021	0.3107	5.3111	272.518	2.71684329	39.9589768	51.5764086	0.00852977	0	0
30/03/2018	94.4396		0.1668	0.1432	-0.0021	0.31	5.0134			39.9580569	51.5849384	-0.02316259		
30/03/2018	94.4389		0.1661	0.1411	0.008	0.3072	5.0742			39.9758161	51.5617758	0.03504739		
30/03/2018	94.4633		0.1629	0.1491	-0.0095	0.312	5.0651			39.9448984	51.5968232	-0.05009068		
30/03/2018	94.3655		0.1678	0.1396	0.0013	0.3074	5.2973			39.9785969	51.5467325	0.0378712		
30/03/2018	94.3327		0.1682	0.1409	0.0008	0.3091	5.1628			40.0969154	51.5846037	0.01147215		
30/03/2018	94.5617		0.1669	0.1417	-0.0065	0.3086	5.2389			40.0831414	51.5960758	-0.08500759		
30/03/2018	94.3546		0.1674	0.1352	0.0242	0.3026	5.4881			39.9970088	51.5110682	0.05608638		
30/03/2018	94.5676		0.1641	0.1594	-0.0003	0.3235	5.3584			40.0959063	51.5671546	0.02801376		
30/03/2018	94.4273		0.1726	0.1591	-0.0043	0.3317	5.2239			39.9383464	51.5951684	-0.05045362		
30/03/2018	94.3525		0.1719	0.1548	0.01	0.3267	5.2254			39.9167111	51.5447148	-0.0534786		
30/03/2018	94.2361		0.1765	0.1648	-0.0125	0.3413	5.3269			39.8702026	51.4912362	0.00522375		
30/03/2018	94.3491		0.1736	0.1523	0.0006	0.3259	5.2976			39.8683344	51.4964599	-0.00440483		
30/03/2018	94.4689		0.1698	0.1529	-0.0008	0.3227	5.3337			39.8848682	51.4920551	0.00453077		
30/03/2018	94.6473		0.1687	0.1521	-0.019	0.3208	5.3288			39.8762331	51.4965859	0.00074138		
30/03/2018	94.6312		0.1684	0.1331	-0.0016	0.3015	5.4102			39.7539726	51.4973273	0.00951284		
30/03/2018	94.3581		0.1682	0.1315	0.0036	0.2997	5.5863			39.8175865	51.5068401	-0.0166861		
30/03/2018	94.5728		0.1678	0.1351	-0.0024	0.3029	5.6303			39.8773049	51.490154	-0.00550217		
30/03/2018	94.4864		0.1669	0.1327	-0.0002	0.2996	5.5188			39.7361079	51.4846518	-0.03349027		
30/03/2018	94.6876		0.1667	0.1325	0.0013	0.2992	5.3607			39.7654545	51.4511616	0.01693274		
30/03/2018	94.7482		0.1668	0.1338	0.0248	0.3006	5.1076			39.7694748	51.4680943	-0.0016912		
30/03/2018	94.4751		0.1711	0.1586	-0.0002	0.3297	5.1687			39.7661896	51.4664031	-0.00351098		
30/03/2018	94.5172		0.1696	0.1584	0.0009	0.328	5.4771			39.7208006	51.4628921	0.01490452		
30/03/2018	94.5272		0.1698	0.1593	-0.0278	0.3291	5.4676			39.7208163	51.4777966	-0.02663508		
Mínimo	94.2361	0	0.1629	0.1315	-0.0278	0.2992	5.0134	272.518	2.71684329	39.7208006	51.4511616	-0.08500759	0	0
Promedio	94.4740083	0	0.1685	0.14610417	-0.000575	0.31460417	5.31137083	272.518	2.71684329	39.8904884	51.5227967	-0.00521863	0	0
Máximo	94.7482	0	0.1765	0.1648	0.0248	0.3413	5.6303	272.518	2.71684329	40.0969154	51.5968232	0.05608638	0	0
Desv. Est.	0.1266848	0	0.00303874	0.01072018	0.01110019	0.01256138	0.16539939	0	0	0.11719827	0.04889412	0.0327329	0	0

	C1	O2	CO2	N2		(CO2 y N2)	C2		H2O				H2S	S
	Metano (% vol)	Oxígeno* (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Nitrógeno variación maxima diaria (% vol)	Total Inertes (% vol)	Etano Max (% vol)	Temperatura de Rocío Max (K)	Humedad (H2O) Max (mg/m <sup>3</sup> )	Poder Calorífico Superior Min - Max. (MJ/m <sup>3</sup> )	Índice Wobbe Min - Max MJ/m3	Índice Wobbe Variación Maxima diaria %	Acido Sulfhídrico (H2S) (mg/m <sup>3</sup> )	Azufre total* (mg/m <sup>3</sup> )
FECHA: (dd/mm/aa)	84	0,20	3,00	4,00	+ 1.5	4,00	11,0	271,15 (-2)	110,00	37,30 - 43.6	48,20 - 53,20	+ .5	6,00	150,00
31/03/2018	94.1612	0	0.1366	0.1352	-0.0023	0.2718	4.6995	272.542	2.57572019	39.7209064	51.4230895	0.00366692	0.14415183	0
31/03/2018	94.2347		0.1303	0.1329	0.0016	0.2632	4.7592			39.7692872	51.4267564	-0.30178537		
31/03/2018	94.2565		0.1316	0.1345	-0.0017	0.2661	4.7843			39.7718606	51.1249711	0.39383633		
31/03/2018	94.2297		0.1348	0.1328	-0.0002	0.2676	4.8221			39.7967298	51.5188074	0.05405498		
31/03/2018	93.1954		0.1317	0.1326	0.0079	0.2643	4.8575			39.8541844	51.5728624	-0.06527392		
31/03/2018	93.2786		0.1331	0.1405	0.0179	0.2736	5.5332			39.9346623	51.5075884	0.16653565		
31/03/2018	93.3731		0.1314	0.1584	0.0007	0.2898	5.5621			40.0261533	51.6741241	-0.02417357		
31/03/2018	93.3874		0.1764	0.1591	-0.0043	0.3355	5.6081			40.1498767	51.6499505	0.03108507		
31/03/2018	93.3208		0.1762	0.1548	0.0041	0.331	5.6804			40.1929428	51.6810356	-0.01019		
31/03/2018	94.1425		0.1782	0.1589	0.0037	0.3371	5.3934			40.0342642	51.6708456	0.079808		
31/03/2018	94.2921		0.1776	0.1626	0.0051	0.3402	5.3923			40.3945322	51.7506536	-0.01548408		
31/03/2018	94.4362		0.1866	0.1677	-0.0014	0.3543	5.5114			40.2240695	51.7351695	-0.15491205		
31/03/2018	94.4227		0.1821	0.1663	-0.0022	0.3484	5.6658			39.9706419	51.5802575	-0.04152706		
31/03/2018	94.2011		0.1819	0.1641	-0.0293	0.346	5.6879			39.9751626	51.5387304	0.01497333		
31/03/2018	93.8944		0.1829	0.1348	0	0.3177	5.4172			39.9769771	51.5537037	0.02012711		
31/03/2018	94.0811		0.1812	0.1348	-0.0023	0.316	5.5203			39.9752252	51.5738308	-0.20406105		
31/03/2018	94.2541		0.1316	0.1325	0.0063	0.2641	5.5192			39.8528778	51.3697698	0.16180806		
31/03/2018	94.2978		0.1331	0.1388	-0.0063	0.2719	5.5768			39.9889286	51.5315778	0.02867087		
31/03/2018	93.1484		0.1336	0.1325	0.0018	0.2661	5.4172			39.9794019	51.5602487	-0.03616191		
31/03/2018	93.4879		0.1382	0.1343	-0.0022	0.2725	5.5203			39.8352326	51.5240868	0.02385032		
31/03/2018	93.7614		0.1752	0.1321	0.007	0.3073	5.5192			39.8661047	51.5479371	-0.03661846		
31/03/2018	93.8939		0.1762	0.1391	0.0002	0.3153	5.5768			39.8076375	51.5113187	-0.04059735		
31/03/2018	94.5498		0.1761	0.1393	-0.0002	0.3154	5.1989			39.8960142	51.4707213	0.0931095		
31/03/2018	94.6825		0.1755	0.1391	-0.007	0.3146	5.1592			39.9752252	51.5638308	-0.43885977		
Mínimo	93.1484	0	0.1303	0.1321	-0.0293	0.2632	4.6995	272.542	2.57572019	39.7209064	51.1249711	-0.43885977	0.14415183	0
Promedio	93.9576375	0	0.15800417	0.14407083	-0.00012917	0.302075	5.3492625	272.542	2.57572019	39.9570374	51.5442445	-0.0124216	0.14415183	0
Máximo	94.6825	0	0.1866	0.1677	0.0179	0.3543	5.6879	272.542	2.57572019	40.3945322	51.7506536	0.39383633	0.14415183	0
Desv. Est.	0.4692124	0	0.0234384	0.01303512	0.00814224	0.03245882	0.32288077	0	0	0.16035994	0.13011109	0.1597282	0	0