

**ALMACENAMIENTO EN PRESAS DEL SISTEMA CUTZAMALA 2024**

ABRIL	VILLA VICTORIA		LLUVIA	VALLE DE BRAVO		LLUVIA	EL BOSQUE		LLUVIA	SUMA	
	ALMAC. Mm <sup>3</sup>	%		ALMAC. Mm <sup>3</sup>	%		ALMAC. Mm <sup>3</sup>	%		ALMACENAMIENTO	ALMACENAMIENTO
DIA	ALMAC. Mm <sup>3</sup>	%	mm	ALMAC. Mm <sup>3</sup>	%	mm	ALMAC. Mm <sup>3</sup>	%	mm	m <sup>3</sup>	%
	CAPACIDAD 185.731 Mm3			CAPACIDAD 394.390 Mm <sup>3</sup>			CAPACIDAD 202.400 Mm <sup>3</sup>				
1	52.550	28.29	0.0	106.084	26.90	0.0	112.892	55.78	0.0	271,526,000	34.70
2	52.398	28.21	0.0	105.557	26.76	0.0	112.736	55.70	0.0	270,691,000	34.59
3	52.246	28.13	0.0	105.032	26.63	0.0	112.580	55.62	0.0	269,858,000	34.49
4	52.094	28.05	0.0	104.633	26.53	0.0	112.502	55.58	0.0	269,229,000	34.41
5	51.942	27.97	0.0	104.246	26.43	0.0	111.640	55.16	0.0	267,828,000	34.23
6	51.790	27.88	0.0	104.507	26.50	0.0	110.840	54.76	0.0	267,137,000	34.14
7	51.638	27.80	0.0	104.900	26.60	0.0	109.720	54.21	0.0	266,258,000	34.03
8	51.487	27.72	0.0	104.900	26.60	0.0	108.920	53.81	0.0	265,307,000	33.90
9	51.487	27.72	0.0	104.769	26.56	0.0	108.040	53.38	0.0	264,296,000	33.77
10	51.183	27.56	0.0	105.032	26.63	0.0	107.240	52.98	0.0	263,455,000	33.67
11	51.031	27.48	0.0	105.294	26.70	0.0	106.200	52.47	0.0	262,525,000	33.55
12	50.879	27.39	0.0	105.294	26.70	0.0	105.240	52.00	0.0	261,413,000	33.41
13	50.727	27.31	0.0	105.689	26.80	0.0	104.360	51.56	0.0	260,776,000	33.33
14	50.727	27.31	0.0	105.821	26.83	0.0	103.496	51.13	0.0	260,044,000	33.23
15	50.575	27.23	0.0	105.952	26.86	0.0	102.660	50.72	0.0	259,187,000	33.12
16	50.575	27.23	0.0	105.821	26.83	0.0	101.900	50.35	0.0	258,296,000	33.01
17	50.271	27.07	0.0	105.689	26.80	0.0	100.836	49.82	0.0	256,796,000	32.82
18	50.119	26.98	0.0	106.216	26.93	0.0	100.076	49.44	0.0	256,411,000	32.77
19	49.967	26.90	0.0	106.348	26.97	0.0	99.240	49.03	0.0	255,555,000	32.66
20	49.815	26.82	0.0	106.348	26.97	0.0	98.784	48.81	0.0	254,947,000	32.58
21	49.663	26.74	0.0	106.613	27.03	0.0	97.416	48.13	0.0	253,692,000	32.42
22	49.511	26.66	0.0	106.745	27.07	0.0	96.428	47.64	0.0	252,684,000	32.29
23	49.359	26.58	0.0	106.745	27.07	0.0	95.543	47.21	0.0	251,647,000	32.16
24	49.359	26.58	0.0	107.010	27.13	0.0	94.667	46.77	0.0	251,036,000	32.08
25			0.0			0.0			0.0		
26			0.0			0.0			0.0		
27			0.0			0.0			0.0		
28			0.0			0.0			0.0		
29			0.0			0.0			0.0		
30			0.0			0.0			0.0		
<b>PROM.</b>	<b>50.891</b>		<b>0.0</b>	<b>105.635</b>		<b>0.0</b>	<b>104.748</b>		<b>0.0</b>	<b>261,274,750</b>	

NAMINO	30'000,000 m <sup>3</sup> .	NAMINO	50'000,000 m <sup>3</sup> .	NAMINO	60'000,000 m <sup>3</sup> .	NAMINO SISTEMA =	140'000,000 m <sup>3</sup> .
--------	-----------------------------	--------	-----------------------------	--------	-----------------------------	------------------	------------------------------

LLUVIA MENOR DE 20.0 mm  
LLUVIA MENOR DE 70.0 mm



LIGERAS A MODERADAS  
FUERTES

Mm<sup>3</sup> : Millones de metros cubicos

ALMACENAMIENTO ACTUAL	ALMACENAMIENTO TOTAL	% DE ALMACENAMIENTO
PRESAS m <sup>3</sup>	PRESAS m <sup>3</sup>	32.08%
251,036,000	782,521,000	

**REPORTE DIARIO DE CALIDAD DEL AGUA EN PLANTA POTABILIZADORA "LOS BERROS" DEL SISTEMA  
BASADO EN LA NORMA NOM 127 SSA1-1994 MODIFICADA 2000**

ABRIL	TURBIDEZ (UNT)	COLOR (Upt-Co)	pH LIMITE	CT RESIDUAL	DUREZA	SABOR	OLOR
	LIMITE PERMISIBLE 5.0	LIMITE PERMISIBLE 20.0	PERMISIBLE POR LA NORMA 6.5 - 8.5	LIBRE mg/l LIMITE 0.2 - 1.5	(mg/l como Ca CO3) LIMITE 500	LIMITE PERMISIBLE POR LA NORMA AGRADABLE	
1	0.77	2.50	7.39	0.81	68.85	AGRADABLE	AGRADABLE
2	0.67	2.50	7.37	0.87	63.30	AGRADABLE	AGRADABLE
3	1.26	2.71	7.32	0.84	63.00	AGRADABLE	AGRADABLE
4	1.15	2.50	7.40	0.89	58.20	AGRADABLE	AGRADABLE
5	2.57	3.33	7.46	0.76	57.15	AGRADABLE	AGRADABLE
6	1.25	2.50	7.45	0.86	60.45	AGRADABLE	AGRADABLE
7	0.58	2.50	7.62	0.82	69.45	AGRADABLE	AGRADABLE
8	0.52	2.50	7.58	0.78	72.30	AGRADABLE	AGRADABLE
9	1.28	2.50	7.55	0.65	72.45	AGRADABLE	AGRADABLE
10	1.75	2.92	7.56	0.78	73.20	AGRADABLE	AGRADABLE
11	1.70	3.54	7.51	0.85	75.75	AGRADABLE	AGRADABLE
12	2.80	2.92	7.58	0.80	87.60	AGRADABLE	AGRADABLE
13	1.84	3.13	7.61	0.79	93.15	AGRADABLE	AGRADABLE
14	0.54	2.50	7.74	0.93	89.40	AGRADABLE	AGRADABLE
15	0.73	2.50	7.70	0.77	89.10	AGRADABLE	AGRADABLE
16	0.89	2.50	7.64	0.82	80.25	AGRADABLE	AGRADABLE
17	1.11	2.71	7.56	0.88	79.65	AGRADABLE	AGRADABLE
18	0.71	2.71	7.58	0.85	87.90	AGRADABLE	AGRADABLE
19	0.42	2.50	7.67	1.08	91.05	AGRADABLE	AGRADABLE
20	0.50	2.53	7.73	0.97	90.45	AGRADABLE	AGRADABLE
21	0.44	2.50	7.8	0.90	93.45	AGRADABLE	AGRADABLE
22	0.89	2.50	7.71	0.77	90.60	AGRADABLE	AGRADABLE
23	0.37	2.50	7.65	0.80	89.95	AGRADABLE	AGRADABLE
24	0.58	2.50	7.65	0.71	86.70	AGRADABLE	AGRADABLE
25							
26							
27							
28							
29							
30							
31							

"Juntos Cuidamos el Agua"