

www.StabbertMaritime.com +1 (206) 547-6161

MAIN PARTICULARS

Class

A1 (Work & Accommodation Barge) DPS-2

 Length
 116.3 m (381')

 Breadth Moulded
 31.9 m (104')

 Depth Moulded
 7.6 m (25')

 Gross Tonnage
 7,217 mT

 Net Tonnage
 2,165 mT

 Lightship Displacement
 7,337 mT

 Max Moulded Draft
 5.6 m (18')

PROPULSION (4) Wartsila 8L26A 2480 KW each

8 Lips type FS 500/-226/500 MNR thrusters, 1,100 HP (820 KW) fully

azimuthing, fixed pitch, variable speed

<u>DYNAMIC POSITIONING SYSTEM</u>

DP-2 redundant system, Kongsberg Simrad DSP-2122

consisting of 2 process computers Joystick control available from main

operator's console, forward bridge and two remote stations

CAPACITY

Deck Space for Construction 754 m²
Deck Cargo Capacity at Working Area 1800 mT

Total Deck Space / Max Deck Load 1,647 m² (17,728 ft²) / 4,000 mT

Moonpool Dimension 978.3 ft² Water Ballast Tanks 6,130 m³ Fresh Water Tanks 219 m³ Max Deck Load 4.000 mT Fuel Oil Tanks 1,463 m³ Fuel Oil Day Tanks 2 x 10 m³ Fuel Oil Set Tanks 2 x 15 m³ Lube Oil Tanks 2 x 4.6 m³ Soil Transfer Tank 23.5 m³ 23.5 m³ Slop Tank

EQUIPMENT

Main Crane (Huisman)

 $\label{eq:main-point} \mbox{Main Hoist Traction Winch with 2 Falls} \qquad \qquad \mbox{Min Radius 8.7 - 8.8 m}$

Max Radius 39 - 39.6 m

Hoisting Capacity 400 mT@16 m Hoisting Speed 0 - 59.1 ft per min

Main Joist Traction Winch with 1 Fall Min Radius 7.8 m

Max Radius 37 m Max Hook Travel 3,000 m Hoisting Capacity 200 mT

Hoisting Speed 0 - 118.1 ft per min

NAVIGATION & COMMUNICATION

 Radar
 (2) Sperry Marine

 GMDSS
 Furuno FS1570

 Phone System
 MITEL-6X50

 SAT /Comms
 KVH

 SSB
 Furuno FELCOM 15

 TV System
 SAT TV System

 Radio
 (2) Furuno FM-8800S

 (2) Sailor RT2048

GPS Furuno, GPS Navigator AIS Furuno, FA-100

Watch Alarm Simrad, model Watch Clock 596
ECHO Sounder SI-TEX CVS-106L MKII


HELIDECK Approved by ABS for 11.34 mT

Accommodates S061 aircraft

ACCOMMODATION Total Bunks 269
Marine Crew 21



OCEAN INTREPID MPSV



OCEAN INTREPID MPSV

