BOVINE SPONGIFORM ENCEPHALOPATHY

(Mad Cow Disease)

It causes alterations to the central nervous system of infected animals.

HOW IS TRANSMITTED?

HARINA DE CARNE Y HUESO


When bovine animals consume food prepared with meat and bone flours from infected ruminants.



Since it affects their central nervous system, animals show the following:

- Fear
- Nervousness Aggressiveness
- Muscular tremors
- Hypersensitivity to touch, light or sound
- Resistant to pass through doors or over small obstacles
- Lack of coordination when walking
- Difficulty to stand up
- Weight Loss
- Reduced milk production

Infected bovine animals die two months after the onset of the clinical signs.



Emergency phone 24 hours a day/365 days a year
01 (800) 751 2100

Monday-Friday: 01 (55) 5905 1000

Ext. 51236, 51242 and 51243

E-mail: sive.dgsa@senasica.gob.mx gestioncpa.dgsa@senasica.gob.mx

"THIS IS A PUBLIC PROGRAM UNRELATED TO ANY POLITICAL PARTY. ANY USE OTHER THAN FOR THE PURPOSES ESTABLISHED IN THE PROGRAM IS STRICTLY FORBIDDEN"









- Avoid feeding bovine animals with food for pigs, birds or pets
- Strengthen the good manufacturing practices of dedicated food

