VELOGENIC NEWCASTLE DISEASE

"PSEUDO AVIAN-FLU"



Definition

It is a highly contagious viral disease that affects farmvard birds such a turkevs. roosters, hens, chickens and quails, among others.

It is caused by **Avulavirus** genus **virus** of the Paramvxoviridae family.



- Fever
- Depression
- Loss of appetite
- Sneezing
- Bloody nasal discharge
- Conjunctivitis
- · Green or white diarrhea
- Inflammation with purple or black coloring of crest and chin
- Bristled feathers
- Tremors
- Weakness
- Lack of coordination

- Crowding
- Torticollis and paralysis of wings or legs
- Reduced egg production
- · Decolorated, soft and deformed eggs
- · Sudden death of all the flock with or without clinical signs



The virus is found in secretions and excreta of infected birds (exhalations, saliva, nasal fluids and feces.)

It can be transmitted by direct contact or by people, vehicles, materials or equipment.

Wild birds, especially aquatic birds, can act as reservoirs for the virus.



It is necessary to carry out the diagnosis in an official laboratory.



Emergency phone 24 hours a day/365 days a year: 01 (800) 751 2100

Monday-Friday: 01 (55) 5905 1000 Ext. 51236, 51242 and 51243

E-mail: sive.dgsa@senasica.gob.mx gestioncpa.dgsa@senasica.gob.mx

ATTENTION IS FREE

You can also report at any SADER or SENASICA offices, or at the Regional Coordination Offices of the CPA closest to your community.

"THIS IS A PUBLIC PROGRAM UNRELATED TO ANY POLITICAL PARTY. ANY USE OTHER THAN FOR THE PURPOSES ESTABLISHED IN THE PROGRAM IS STRICTLY FORBIDDEN"









