

RABBIT VIRAL HEMORRHAGIC disease

HOW IS IT TRANSMITTED?

The virus is found in **SECRETIONS** and **EXCRETIONS** of **infected animals** (ocular and nasal fluid, urine and feces). It can be **TRANSMITTED** by direct contact or through people, vehicles, material or equipment contaminated with the virus.



HOW CAN IT BE PREVENTED?

It is necessary to **CONTROL THE IMPORT OF ANIMALS AND PRODUCTS**, as well as to strengthen **BIOSECURITY** measures in the production units.

CLINICAL SIGNS

- ▶ Fever
- ▶ Depression
- ▶ Lack of appetite
- ▶ Ocular hemorrhages
- ▶ Bloody foamy nasal discharge
- ▶ Occasionally they only manifest terminal screeches, collapse and sudden death
- ▶ Difficulty breathing
- ▶ Excitation
- ▶ Incoordination
- ▶ Body stiffness
- ▶ Death, after 12 to 36 hr at the beginning of the disease



REPORT ANY SUSPICIOUS CASE

24 h/365 days emergency telephones:

800 751 2100

Monday to Friday: **55 5905 1000 Ext. 51236, 51242 y 51243** E-mail: sive.dgsa@senasica.gob.mx or gestioncpa.dgsa@senasica.gob.mx

Download App



Disponible en Google play

Disponible en el App Store

“THIS IS A PUBLIC PROGRAM UNAFFILIATED WITH ANY POLITICAL PARTY. ITS USE FOR OTHER PURPOSES AS ESTABLISHED IN THE PROGRAM IS PROHIBITED”.



GOBIERNO DE
MÉXICO

AGRICULTURA
SECRETARÍA DE AGRICULTURA Y DESARROLLO RURAL



SENASICA
SERVICIO NACIONAL DE SANIDAD,
INOCUIDAD Y CALIDAD AGROALIMENTARIA